
**WEAR** CONTAMINATION **FLUID CONDITION**  **NORMAL NORMAL NORMAL** 

[001337-1]

## HUSSMAN 410000010950 RACK A

Component Reciprocating Compressor

{not provided} ( GAL)					.,		
RECOMMENDATION	Test	UOM	Method	Limit/Abn	Current	History1	History2
Resample at the next service interval to monitor. Please note that there was insufficient sample submitted to perform all assigned tests.	Sample Number		Client Info		WC0907735		
	Sample Date		Client Info		13 Feb 2024		
	Machine Age	hrs	Client Info		10		
	Oil Age	hrs	Client Info		10		
	Filter Age	hrs	Client Info		1		
	Oil Changed		Client Info		N/A		
	Filter Changed		Client Info		N/A		
	Sample Status				NORMAL		
WEAR	Iron	ppm	ASTM D5185(m)	>50	3		
All component wear rates are normal.	Chromium	ppm	ASTM D5185(m)		0		
	Nickel	ppm	ASTM D5185(m)	210	0		
	Titanium	ppm	ASTM D5185(m)		0		
	Silver	ppm	ASTM D5185(m)		0		
	Aluminum	ppm	ASTM D5185(m)	>25	<1		
	Lead	ppm	ASTM D5185(m)	>25	<1		
	Copper	ppm	ASTM D5185(m)	>50	3		
	Tin	ppm	ASTM D5185(m)	>15	0		
	Vanadium	ppm	ASTM D5185(m)		0		
	White Metal	scalar	Visual*	NONE	NONE		
	Yellow Metal	scalar	Visual*	NONE	NONE		
CONTAMINATION	Silicon	ppm	ASTM D5185(m)	>25	2		
Insufficient sample was received to conduct all the routine laboratory tests.	Potassium	ppm	ASTM D5185(m)		- <1		
	Water	%	ASTM D6304*	>0.1	0.050		
	ppm Water	ppm	ASTM D6304*	>1000	501		
	Silt	scalar	Visual*	NONE	NONE		
	Debris	scalar	Visual*	NONE	NONE		
	Sand/Dirt	scalar	Visual*	NONE	NONE		
	Appearance	scalar	Visual*	NORML	NORML		
	Odor	scalar	Visual*	NORML	NORML		
FLUID CONDITION	Sodium	nnm	ASTM D5185(m)		0		
	Boron	ppm	ASTM D5185(m)		<1		
The condition of the oil is acceptable for the time in service (unconfirmed).  Report ld: NEERLIR IWCAMISI 02617289 (Generated: 04/03/2024 09:52:48) Rev. 2	Barium	ppm	ASTM D5185(m)		0		
	Molybdenum	ppm	ASTM D5185(m)		0		
	Manganese	ppm	ASTM D5185(m)		0		
	Magnesium	ppm	ASTM D5185(m)		<1		
	Calcium	ppm	ASTM D5185(m)		0		
	Phosphorus	ppm	ASTM D5185(m)		0		
	Zinc	ppm	ASTM D5185(m)		3		
	Sulfur	ppm	ASTM D5185(m)		0		
	Acid Number (AN)	mg KOH/g	ASTM D974*		0.06		
				Contac			





ISO 17025:2017 Accredited Laboratory **Laboratory**: WearCheck - C8-1175 Appleby Line, Burlington, ON L7L 5H9 **Sample No.**: WC0907735 **Received**: 21 Feb 2024

**Test Package**: TEST (Additional Tests: ICP, KF, KV40, TAN Man)

To discuss this sample report, contact Customer Service at 1-800-268-2131.

Test denoted (\*) outside scope of accreditation, (m) method modified, (e) tested at external lab. Validity of results and interpretation are based on the sample and information as supplied.

Neelands Group Limited 4131 Palladium Way

Burlington, ON CA L7M 0V9 Contact: Mike Squires mike.squires@neelands.com T: (905)975-0794

F: (905)334-7090