



OIL ANALYSIS REPORT

WEAR	NORMAL
CONTAMINATION	NORMAL
FLUID CONDITION	NORMAL

Machine Id
70018061 KINDER B
 Component
Gearbox
 Fluid
SHELL OMALA S4 GX 220 (--- GAL)

RECOMMENDATION

Resample at the next service interval to monitor.

Test	UOM	Method	Limit/Abn	Current	History1	History2
Sample Number		Client Info		WC0922007	WC0679924	---
Sample Date		Client Info		20 Mar 2024	30 Mar 2023	---
Machine Age	hrs	Client Info		1310	576	---
Oil Age	hrs	Client Info		1310	576	---
Filter Age	hrs	Client Info		0	0	---
Oil Changed		Client Info		N/A	N/A	---
Filter Changed		Client Info		N/A	N/A	---
Sample Status				NORMAL	ABNORMAL	---

WEAR

All component wear rates are normal.

Iron	ppm	ASTM D5185(m)	>200	14	141	---
Chromium	ppm	ASTM D5185(m)	>15	0	2	---
Nickel	ppm	ASTM D5185(m)	>15	0	<1	---
Titanium	ppm	ASTM D5185(m)		0	0	---
Silver	ppm	ASTM D5185(m)		0	0	---
Aluminum	ppm	ASTM D5185(m)	>25	0	1	---
Lead	ppm	ASTM D5185(m)	>100	0	0	---
Copper	ppm	ASTM D5185(m)	>200	<1	<1	---
Tin	ppm	ASTM D5185(m)	>25	0	0	---
Vanadium	ppm	ASTM D5185(m)		0	0	---
White Metal	scalar	Visual*	NONE	NONE	NONE	---
Yellow Metal	scalar	Visual*	NONE	NONE	NONE	---

CONTAMINATION










There is no indication of any contamination in the oil.

Silicon	ppm	ASTM D5185(m)	>50	<1	2	---
Potassium	ppm	ASTM D5185(m)	>20	<1	<1	---
Water		WC Method	>0.2	NEG	NEG	---
Silt	scalar	Visual*	NONE	NONE	NONE	---
Debris	scalar	Visual*	NONE	NONE	NONE	---
Sand/Dirt	scalar	Visual*	NONE	VLITE	NONE	---
Appearance	scalar	Visual*	NORML	NORML	▲ LAYRD	---
Odor	scalar	Visual*	NORML	NORML	NORML	---
Emulsified Water	scalar	Visual*	>0.2	NEG	NEG	---

FLUID CONDITION

The condition of the oil is acceptable for the time in service.

Sodium	ppm	ASTM D5185(m)		<1	3	---
Boron	ppm	ASTM D5185(m)		10	4	---
Barium	ppm	ASTM D5185(m)		0	1	---
Molybdenum	ppm	ASTM D5185(m)		0	0	---
Manganese	ppm	ASTM D5185(m)		0	1	---
Magnesium	ppm	ASTM D5185(m)		0	<1	---
Calcium	ppm	ASTM D5185(m)		<1	2	---
Phosphorus	ppm	ASTM D5185(m)		424	518	---
Zinc	ppm	ASTM D5185(m)		6	32	---
Sulfur	ppm	ASTM D5185(m)		4835	2361	---
Visc @ 40°C	cSt	ASTM D7279(m)	230	234	231	---



Laboratory : WearCheck - C8-1175 Appleby Line, Burlington, ON L7L 5H9
Sample No. : WC0922007 **Received** : 04 Apr 2024
Lab Number : 02626756 **Tested** : 04 Apr 2024
Unique Number : 5759888 **Diagnosed** : 05 Apr 2024 - Kevin Marson
Test Package : MOB 1

Mount St. Louis Moonstone
 R.R. # 4,, 24 Mount St. Louis Road
 Coldwater, ON
 CA L0K 1E0
 Contact: Paul Jordan
 snowmaking@mslm.on.ca
 T:
 F: (705)835-2831

To discuss this sample report, contact Customer Service at 1-800-268-2131.
 Test denoted (*) outside scope of accreditation, (m) method modified, (e) tested at external lab.
 Validity of results and interpretation are based on the sample and information as supplied.