

# [ORD0113699] UNDER GROUND #3

#### **Diesel Fuel**

## No.2 DIESEL FUEL (ULTRALOW SULPHUR) (--- GAL)

### RECOMMENDATION

Laboratory test indicate that this fuel is suitable for use and meets all test requirements. We advise that you filter this fluid before use. We recommend you service the filters on this component. We recommend an early resample to monitor this condition.

#### CORROSION

{not applicable}

#### CONTAMINANTS

There is a moderate amount of silt (particulates < 14 microns in size) present in the fuel. The water content is negligible.

### FUEL CONDITION

All laboratory tests indicate that this sample meets specifications for No.2 ultra-low-sulfur diesel fuel (US EPA/CGSB-3.517-3 type B). The fuel is still serviceable provided that the contaminant(s) can be reduced to acceptable levels.


Cetane Index

	······							
	Test	UOM	Method	Limit/Abn	Cı	urrent	History1	History2
	Sample Number		Client Info		W	C0942482	WC0728099	
	Sample Date		Client Info		03	May 2024	16 Aug 2022	
	Machine Age	hrs	Client Info		0		0	
	Sample Status				AE	NORMAL	NORMAL	
						• • • • • • • • • • • • • • • • • • • •		
	Aluminum	ppm	ASTM D5185(m)	< 0.1		0	0	
	Nickel	ppm	ASTM D5185(m)	<0.1		0	0	
	Lead	ppm	ASTM D5185(m)	< 0.1		0	0	
	Vanadium	ppm	ASTM D5185(m)	<0.1		0	0	
	Iron	ppm	ASTM D5185(m)	<0.1		0	<1	
	Silicon	ppm	ASTM D5185(m)	<1.0		0	0	
	Sodium	ppm	ASTM D5185(m)	<0.1		<1	0	
	Potassium	ppm	ASTM D5185(m)	<0.1		0	0	
	Water	%	ASTM D6304*	< 0.05		0.003	0.003	
	ppm Water	ppm	ASTM D6304*	<500		26	32.9	
	Particles >4 $\mu$ m		ASTM D7647	>2500		9502	1032	
	Particles >6µm		ASTM D7647	>640		2705	218	
	Particles >14 $\mu$ m		ASTM D7647	>80		76	19	
	Particles >21µm		ASTM D7647	>20		12	4	
	Particles >38µm		ASTM D7647	>4		1	0	
	Particles >71 $\mu$ m		ASTM D7647	>3		0	0	
	Oil Cleanliness		ISO 4406 (c)	>18/16/13		20/19/13	17/15/11	
	Calcium	ppm	ASTM D5185(m)	<0.1		0	<1	
	Magnesium	ppm	ASTM D5185(m)	<0.1		0	0	
	Phosphorus	ppm	ASTM D5185(m)	<0.1		0	<1	
	Zinc	ppm	ASTM D5185(m)	<0.1		0	<1	
	Specific Gravity		ASTM D1298*	0.839		0.827	0.825	
	Fuel Color	text	Visual Screen*	Yllow		Pink	Red	
	Visc @ 40°C	cSt	ASTM D7279(m)	3.0		2.2	2.1	
	Pensky-Martens Flash Point	°C	ASTM D7215*	52		52.1	51.7	
	Sulfur	ppm	ASTM D5185(m)	10		11	9	
	Initial Boiling Point	°C	ASTM D2887*	165		160	153	
	10% Distill Point	°C	ASTM D2887*	201		192	189	
	20% Distill Point	°C	ASTM D2887*	216		208	205	
	30% Distill Point	°C	ASTM D2887*	230		223	220	
	40% Distill Point	°C	ASTM D2887*	243		236	234	
	50% Distill Point	°C	ASTM D2887*	255		250	249	
	60% Distill Point	°C	ASTM D2887*	267		263	264	
	70% Distill Point	°C	ASTM D2887*	280		277	278	
	80% Distill Point	°C	ASTM D2887*	295		291	293	
	90% Distill Point	°C	ASTM D2887*	310		311	314	
	Final Boiling Point	°C	ASTM D2887*	341		341	343	
	API Gravity		ASTM D1298*	37.7		39	40	
	Ostana lude			40.0		50	E 4	

ASTM D4737\* <40.0

51

50



Laboratory : WearCheck - C8-1175 Appleby Line, Burlington, ON L7L 5H9 HONEYWELL CALA Sample No. : WC0942482 Received 1929 OGILVIE RD : 16 May 2024 Lab Number : 02636223 Tested GLOUCESTER, ON : 21 May 2024 ISO 17025:2017 Accredited : 21 May 2024 - Kevin Marson CA K1J 0B9 Unique Number : 5785385 Diagnosed Laboratory Test Package : FUEL (Additional Tests: CC Flash, PrtCount) Contact: Alain Guindon To discuss this sample report, contact Customer Service at 1-800-268-2131. joseph.guindon@cse-cst.gc.ca T: (613)991-2659 Test denoted (\*) outside scope of accreditation, (m) method modified, (e) tested at external lab. Validity of results and interpretation are based on the sample and information as supplied.

Contact/Location: Alain Guindon - HONGLO Page 2 of 2

F: