

OIL ANALYSIS REPORT

WEAR CONTAMINATION FLUID CONDITION

NORMAL NORMAL

Area


ALKAN AIR [53302]


208B P-123256 (S/N 208B0666)


Jet Turbine


EASTMAN TURBO OIL 2380 (--- GAL)


RECOMMENDATION	Test	UOM	Method	Limit/Abn	Current	History1	History2
This is a baseline read-out on the submitted sample.	Sample Number		Client Info		GT57830	GT56755	GT56756
	Sample Date		Client Info		16 May 2024	15 Dec 2023	01 Oct 2023
	Machine Age	hrs	Client Info		1389	0	0
	Oil Age	hrs	Client Info		796	760	671
	Filter Age	hrs	Client Info		36	89	86
	Oil Changed		Client Info		N/A	N/A	N/A
	Filter Changed		Client Info		N/A	N/A	N/A
	Sample Status				NORMAL		
WEAR	Iron	ppm	ASTM D5185(m)	>8	<1	<1	<1
	Chromium	ppm	ASTM D5185(m)	>2	0	0	0
	Nickel	ppm	ASTM D5185(m)	>2	0	0	0
	Silver	ppm	ASTM D5185(m)	>2	0	0	0
	Aluminum	ppm	ASTM D5185(m)	>2	<1	<1	<1
	Lead	ppm	ASTM D5185(m)	>3	<1	<1	<1
	Copper	ppm	ASTM D5185(m)	>3	0	<1	<1
CONTAMINATION	Water		WC Method	>0.1	NEG	NEG	NEG
FLUID CONDITION	Magnesium	ppm	ASTM D5185(m)	0	0	0	0
	Acid Number (AN)	mg KOH/g	ASTM D974*	0.43	0.77	1.01	1.07
	Visc @ 40°C	cSt	ASTM D7279(m)	24.2	24.1		25.3













CALA ISO 17025:2017 Accredited Laboratory

Laboratory Sample No.

: WearCheck - C8-1175 Appleby Line, Burlington, ON L7L 5H9 : GT57830 Lab Number : 02637806

Unique Number : 5786968

Received Tested Diagnosed

: 27 May 2024 : 27 May 2024

: 27 May 2024 - Wes Davis

Honeywell Engines

111 S. 34th Street, 301 Receiving, Attn: SOAP Program PHOENIX, AZ US 85034 Contact: GARRETT

Test Package : G331 (Additional Tests: ICP) To discuss this sample report, contact Customer Service at 1-800-268-2131.

Test denoted (*) outside scope of accreditation, (m) method modified, (e) tested at external lab. Validity of results and interpretation are based on the sample and information as supplied.

F: (602)365-2676

T: