
CORROSION CONTAMINANTS COOLANT CONDITION

NORMAL NORMAL NORMAL

EQUINIX [185434] YELLOW (S/N 33144177)
Component
Coolant

EXTENDED LIFE COOLANT (GAL)							
RECOMMENDATION	Test	UOM	Method	Limit/Abn	Current	History1	History2
The fluid is suitable for further service. Resample at the next service interval to monitor.	Sample Number		Client Info		CU0023292	CU0019612	
	Sample Date		Client Info		14 May 2024	03 May 2023	
	Machine Age	hrs	Client Info		0	0	
	Oil Age	hrs	Client Info		0	0	
	Oil Changed		Client Info		N/A	N/A	
	Sample Status				NORMAL	NORMAL	
CORROSION	Iron	ppm	ASTM D5185(m)	>15	0	<1	
All metal levels are normal indicating no corrosion in the cooling system.	Aluminum	ppm	ASTM D5185(m)	>10	2	6	
	Copper	ppm	ASTM D5185(m)	>10	3	4	
	Lead	ppm	ASTM D5185(m)	>10	0	<1	
	Tin	ppm	ASTM D5185(m)	>10	0	0	
	Silver	ppm	ASTM D5185(m)	>10	<1	0	
	Zinc	ppm	ASTM D5185(m)	>10	<1	0	
CONTAMINANTS	Calcium	ppm	ASTM D5185(m)	>100	2	2	
There is no indication of any contamination in the coolant.	Magnesium	ppm	ASTM D5185(m)	>40	<1	<1	
	Appearance	scalar	Visual*	NORML	NORML	NORML	
	Odor	scalar	Visual*	NORML	NORML	NORML	
	Coolant Appearance		Visual*	Clear	Clear	Clear	
COOLANT CONDITION	Boiling Point	°C	WC Method*		107		
The nitrite level is acceptable. The pH level of this fluid is within the acceptable limits. The reserve alkalinity of this fluid is acceptable.	Specific Gravity		ASTM D1298*		1.066	1.066	
	рН	Scale 0-14	ASTM D1287*	9.0	9.18	9.30	
	Nitrites	ppm	Alcan Test Kit*		1600	1160	
	Reserve Alkalinity	Scale 0-20	ASTM D1121*		6.6	7.1	
	Percentage Glycol	%	ASTM D3321*	50	48.9	49.0	
	Freezing Point	°C	ASTM D3321*	-40	-35	-33	
	Carboxylate						
	Silicon	ppm	ASTM D5185(m)		66	57	
	Phosphorus	ppm	ASTM D5185(m)		1001	736	
	Boron	ppm	ASTM D5185(m)		261	241	
	Molybdenum	ppm	ASTM D5185(m)		398	496	
	Sodium	ppm	ASTM D5185(m)		1374	1387	
	Potassium	ppm	ASTM D5185(m)		5213	2503	
	Coolant Color		Visual*	Orange/R	Blue	Blue	





CALA ISO 17025:2017 Accredited Laboratory

Laboratory Sample No.

: CU0023292 Lab Number : 02640894 Unique Number : 5798433

To discuss this sample report, contact Customer Service at 1-800-268-2131.

Received **Tested Test Package**: COOL (Additional Tests: GlycolType)

: 10 Jun 2024 Diagnosed

: 11 Jun 2024 : 11 Jun 2024 - Kevin Marson

: WearCheck - C8-1175 Appleby Line, Burlington, ON L7L 5H9 CUMMINS CANADA ULC - GENERATOR DIVISION 7175 PACIFIC CIRCLE MISSISSAUGA, ON CA L5T 2A5 Contact: Elisia Johnson

elisia.johnson@cummins.com T: (905)795-0050

Test denoted (*) outside scope of accreditation, (m) method modified, (e) tested at external lab. Validity of results and interpretation are based on the sample and information as supplied.

F: (905)795-9252