


**WEAR** CONTAMINATION **FLUID CONDITION**  NORMAL NORMAL **NORMAL** 

Machine Id

Component Diesel Engine							
{not provided} ( QTS)							
RECOMMENDATION	Test	UOM	Method	Limit/Abn	Current	History1	History2
	Sample Number		Client Info		TLY0001852		
Resample at the next service interval to monitor. Please specify the brand, type, and viscosity of the oil on your next sample.	Sample Date		Client Info		26 Dec 2023		
	Machine Age	mls	Client Info		74695		
	Oil Age	mls	Client Info		0		
	Filter Age	mls	Client Info		0		
	Oil Changed		Client Info		N/A		
	Filter Changed		Client Info		N/A		
	Sample Status				NORMAL		
WEAR	Iron	ppm	ASTM D5185m	>100	84		
WEAIT	Chromium	ppm	ASTM D5185m		1		
All component wear rates are normal.	Nickel	ppm	ASTM D5185m		- <1		
	Titanium	ppm	ASTM D5185m		0		
	Silver	ppm	ASTM D5185m	>3	<1		
	Aluminum	ppm	ASTM D5185m		5		
	Lead	ppm	ASTM D5185m		4		
	Copper	ppm	ASTM D5185m		17		
	Tin	ppm	ASTM D5185m		4		
	Vanadium	ppm	ASTM D5185m		0		
	White Metal	scalar	*Visual	NONE	NONE		
	Yellow Metal	scalar	*Visual	NONE	NONE		
CONTAMINATION	Silicon	ppm	ASTM D5185m	>25	11		
Fuel content negligible. There is no indication of any contamination in the oil.	Potassium	ppm	ASTM D5185m	>20	10		
	Fuel	%	ASTM D3524	>5	1.1		
	Water		WC Method	>0.2	NEG		
	Glycol		WC Method		NEG		
	Soot %	%	*ASTM D7844	>3	0.8		
	Nitration	Abs/cm	*ASTM D7624	>20	13.8		
	Sulfation	Abs/.1mm	*ASTM D7415	>30	27.1		
	Silt	scalar	*Visual	NONE	NONE		
	Debris	scalar	*Visual	NONE	NONE		
	Sand/Dirt	scalar	*Visual	NONE	NONE		
	Appearance	scalar	*Visual	NORML	NORML		
	Odor	scalar	*Visual	NORML	NORML		
	Emulsified Water	scalar	*Visual	>0.2	NEG		
FLUID CONDITION	Sodium	ppm	ASTM D5185m		3		
	Boron	ppm	ASTM D5185m		14		
The BN result indicates that there is suitable alkalinity remaining in the oil. The condition of the oil is suitable for further service.	Barium	ppm	ASTM D5185m		0		
	Molybdenum	ppm	ASTM D5185m		53		
	Manganese	ppm	ASTM D5185m		2		
	Magnesium	ppm	ASTM D5185m		693		
	Calcium	ppm	ASTM D5185m		1672		
	Phosphorus	ppm	ASTM D5185m		884		
	Zinc	ppm	ASTM D5185m		1114		
	Sulfur	ppm	ASTM D5185m		2674		
	Oxidation	Abs/.1mm	*ASTM D7414	>25	27.6		
	Base Number (BN)				4.1		
	Visc @ 100°C	cSt	ASTM D445		11.3		







Laboratory Sample No. Lab Number Unique Number : 10820620

: TLY0001852 : 06054671

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 Recieved : 08 Jan 2024 Diagnosed : 12 Jan 2024

Diagnostician : Jonathan Hester Test Package : CONST ( Additional Tests: FuelDilution, PercentFuel, TBN )

To discuss this sample report, contact Customer Service at 1-800-237-1369.

\* - Denotes test methods that are outside of the ISO 17025 scope of accreditation. Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

**COCKEYS ENTERPRISES** 

3300 TRANSWAY RD HALETHORP, MD US 21227

Contact: FRANK ROLNIAK

frank.rolniak@cockeys.com T:

F: