

WEAR NORMAL CONTAMINATION ABNORMAL FLUID CONDITION NORMAL

Machine Id MATTEI 20340241-2020 Component Compressor Fluid In act provided (CAL)

{not provided} (--- GAL)

R	E	C	O	Μ	Μ	E	NI	DA	١T		D	Ν	
	_	<u> </u>	-			_				- 1	<u> </u>		

No corrective action is recommended at this time. Resample at the next service interval to monitor.

WEAR

All component wear rates are normal.

CONTAMINATION

Elemental level of silicon (Si) above normal. The water content is negligible.

FLUID CONDITION

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

Test	UOM	Method	Limit/Abn	Current	History1	History2
Sample Number		Client Info		AN06086134		
Sample Date		Client Info		31 Jan 2024		
Machine Age	hrs	Client Info		2524		
Oil Age	hrs	Client Info		0		
Filter Age	hrs	Client Info		0		
Oil Changed		Client Info		N/A		
Filter Changed		Client Info		N/A		
Sample Status				ABNORMAL		
Iron	ppm	ASTM D5185m	>50	34		
Chromium	ppm	ASTM D5185m	>10	<1		
Nickel	ppm	ASTM D5185m		<1		
Titanium	ppm	ASTM D5185m		<1		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m	>25	2		
Lead	ppm	ASTM D5185m	>25	<1		
Copper	ppm	ASTM D5185m	>50	2		
Tin	ppm	ASTM D5185m	>15	<1		
Vanadium	ppm	ASTM D5185m		0		
White Metal	scalar	*Visual	NONE	NONE		
Yellow Metal	scalar	*Visual	NONE	NONE		
Silicon	nom	ASTM D5185m	>25	▲ 50		
Potassium	ppm ppm	ASTM D5185m	>20	1		
Water	%	ASTM D5185III	>2.0	0.037		
ppm Water	ppm	ASTM D6304	>1000	378		
Silt	scalar	*Visual	NONE	NONE		
Debris	scalar	*Visual	NONE	NONE		
Sand/Dirt	scalar	*Visual	NONE	NONE		
Appearance	scalar	*Visual	NORML	NORML		
Odor	scalar	*Visual	NORML	NORML		
Emulsified Water	scalar	*Visual	>0.1	NEG		
	Scalai	visuai	>0.1	NEG		
Sodium	ppm	ASTM D5185m		12		
Boron	ppm	ASTM D5185m		0		
Barium	ppm	ASTM D5185m		13		
Molybdenum	ppm	ASTM D5185m		<1		
Manganese	ppm	ASTM D5185m		<1		
Magnesium	ppm	ASTM D5185m		<1		
-	ppm	ASTM D5185m		<1		
Calcium						
Phosphorus	ppm	ASTM D5185m		859		
		ASTM D5185m ASTM D5185m		859 78		
Phosphorus	ppm					
Phosphorus Zinc	ppm ppm	ASTM D5185m		78		

Visc @ 40°C cSt

ASTM D445

Contact/Location: MARTY WARD - MATTEI

89.5





Contact/Location: MARTY WARD - MATTEI

Ē