

WCLSNC Machine Id QC COOL ELC NC 09012022 Component Coolant Fluid

CAT EXTENDED LIFE COOLANT (ELC) (--- GAL)

RECOMMENDATION

No corrective action is recommended at this time. The fluid is suitable for further service.

CORROSION

All metal levels are normal indicating no corrosion in the cooling system.

CONTAMINANTS


There is no indication of any contamination in the coolant.


.

COOLANT CONDITION

Carboxylate test failed. Glycol and nitrite levels are acceptable. The pH level of this fluid is within the acceptable limits.

l						
Test	UOM	Method	Limit/Abn	Current	History1	History2
Sample Number		Client Info		WC0906300	WC0906293	WC0906289
Sample Date		Client Info		13 Feb 2024	06 Feb 2024	02 Feb 2024
Machine Age	hrs	Client Info		0	0	0
Oil Age	hrs	Client Info		0	0	0
Oil Changed		Client Info		N/A	N/A	N/A
Sample Status				NORMAL	NORMAL	NORMAL
Iron	ppm	ASTM D6130	>2	3	2	0
Aluminum	ppm	ASTM D6130	>2	<1	0	0
Copper	ppm	ASTM D6130	>2	<1	<1	0
Lead	ppm	ASTM D6130	>2	<1	<1	<1
Tin	ppm	ASTM D6130	>2	<1	0	<1
Zinc	ppm	ASTM D6130	>10	0	0	0
	le le			-		-
Calcium	ppm	ASTM D6130	>5	<1	0	0
Chlorine	ppm	ASTM D6130		3	17	2
Magnesium	ppm	ASTM D6130	>6	<1	<1	0
Total Dissolved Solids				342.5	328.5	353.5
Coolant Appearance		*Visual	Clear	normal	normal	normal
Specific Gravity		*ASTM D1298		1.067	1.067	1.067
рН	Scale 0-14	ASTM D1287		8.35	8.09	8.29
Nitrites	ppm	AP-053:2009		712	748	712
Reserve Alkalinity	Scale 0-20	*ASTM D1121				
Percentage Glycol	%	ASTM D3321		49.5	49.4	49.5
Freezing Point	°F	ASTM D3321		-33	-33	-33
Carboxylate				fail	fail	fail
Silicon	ppm	ASTM D6130	0	1	2	<1
Phosphorus	ppm	ASTM D6130	0	6	6	0
Boron	ppm	ASTM D6130	0	0	0	0
Molybdenum	ppm	ASTM D6130	950	667	645	731
Sodium	ppm	ASTM D6130		3747	3733	4223
Potassium	ppm	ASTM D6130		20	5	8
Coolant Color		*Visual		Red	Red	Red







Sample No. : WC0906300 Received : 13 Feb 2024 501 Madison Ave Lab Number : 06087872 Tested : 16 Feb 2024 Cary, NC Unique Number : 10875317 : 16 Feb 2024 - Jonathan Hester US 27513 Diagnosed Test Package : COOL- (Additional Tests: COOL, ICP) Contact: WCLS CARY NC Certificate L2367 To discuss this sample report, contact Customer Service at 1-800-237-1369. * - Denotes test methods that are outside of the ISO 17025 scope of accreditation. T: (919)379-4102 F: (919)379-4050 Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

: WearCheck USA - 501 Madison Ave., Cary, NC 27513

Laboratory

Submitted By: ?

Jan 12/24

WEARCHECK LUBRICATION SERVICES QA ACCOUNT

Jan 31/24

Jan 12/24

Jan 12/24 Jan 31/24

Jan 31/24