

Machine Id 3587C AUTOCAR ACX

Component Natural Gas Engine

PETRO CANADA DURON GEO LD 15W40 (48 QTS)

	×10)						
RECOMMENDATION	Test	UOM	Method	Limit/Abn	Current	History1	History2
Resample at the next service interval to monitor.	Sample Number		Client Info		GFL0103203	GFL0056713	GFL0056476
	Sample Date		Client Info		12 Feb 2024	25 Apr 2023	19 Oct 2022
	Machine Age	hrs	Client Info		5810	3916	1603
	Oil Age	hrs	Client Info		0	1701	388
	Filter Age	hrs	Client Info		0	1701	388
	Oil Changed		Client Info		Changed	Changed	Changed
	Filter Changed		Client Info		N/A	Changed	Changed
	Sample Status				NORMAL	NORMAL	NORMAL
WEAR	Iron	ppm	ASTM D5185m	>50	11	18	8
All component wear rates are normal.	Chromium	ppm	ASTM D5185m	>4	<1	3	4
	Nickel	ppm	ASTM D5185m	>2	0	0	0
	Titanium	ppm	ASTM D5185m		0	0	0
	Silver	ppm	ASTM D5185m	>3	0	0	0
	Aluminum	ppm	ASTM D5185m	>9	1	4	<1
	Lead	ppm	ASTM D5185m	>30	0	0	5
	Copper	ppm	ASTM D5185m	>35	<1	<1	<1
	Tin	ppm	ASTM D5185m	>4	0	0	0
	Vanadium	ppm	ASTM D5185m		0	0	<1
	White Metal	scalar	*Visual	NONE	NONE	NONE	NONE
	Yellow Metal	scalar	*Visual	NONE	NONE	NONE	NONE
CONTAMINATION There is no indication of any contamination in the oil.	Silicon	ppm	ASTM D5185m	>+100	7	11	5
	Potassium	ppm	ASTM D5185m		4	0	2
	Water	le le	WC Method		NEG	NEG	NEG
	Soot %	%	*ASTM D7844		0	0	0.1
	Nitration	Abs/cm	*ASTM D7624	>20	11.4	8.7	11.1
	Sulfation	Abs/.1mm	*ASTM D7415	>30	22.2	18.2	22.7
	Silt	scalar	*Visual	NONE	NONE	NONE	NONE
	Debris	scalar	*Visual	NONE	NONE	NONE	NONE
	Sand/Dirt	scalar	*Visual	NONE	NONE	NONE	NONE
	Appearance	scalar	*Visual	NORML	NORML	NORML	NORML
	Odor	scalar	*Visual	NORML	NORML	NORML	NORML
	Emulsified Water	scalar	*Visual	>0.1	NEG	NEG	NEG
FLUID CONDITION The BN result indicates that there is suitable alkalinity remaining in the oil. The condition of the oil is suitable for further service.	Sodium	ppm	ASTM D5185m		5	4	4
	Boron	ppm	ASTM D5185m	50	5	23	4
	Barium	ppm	ASTM D5185m		9	0	0
	Molybdenum	ppm	ASTM D5185m		50	51	52
	Manganese	ppm	ASTM D5185m		0	1	<1
	Magnesium	ppm	ASTM D5185m		489	596	532
	Calcium	ppm	ASTM D5185m		1409	1598	1584

Zinc

Sulfur

Oxidation

Visc @ 100°C cSt

Phosphorus ppm ASTM D5185m 780

Base Number (BN) mg KOH/g ASTM D2896 10.2

ppm

ASTM D5185m 870

ASTM D445 15.1

ppm ASTM D5185m 2040

Abs/.1mm *ASTM D7414 >25

812

973

15.8

14.7

2957

709

922

19.2

15.1

6.3 6.1

2449

612


865

2321

19.4

3.8

14.9



Test Package : FLEET Contact: Ronald Gregory Certificate L2367 rgregory@gflenv.com To discuss this sample report, contact Customer Service at 1-800-237-1369. * - Denotes test methods that are outside of the ISO 17025 scope of accreditation. Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

F: (919)662-1730

T: