



COOLANT REPORT

CORROSION	NORMAL
CONTAMINANTS	NORMAL
COOLANT CONDITION	NORMAL

Area

WCLSNC

Machine Id

QC COOL ELC NC 09012022

Component

Coolant

Fluid

CAT EXTENDED LIFE COOLANT (ELC) (--- GAL)

RECOMMENDATION

No corrective action is recommended at this time. The fluid is suitable for further service.

Test	UOM	Method	Limit/Abn	Current	History1	History2
Sample Number		Client Info		WC0961111	WC0961110	WC0961109
Sample Date		Client Info		10 Jul 2024	09 Jul 2024	08 Jul 2024
Machine Age	hrs	Client Info		0	0	0
Oil Age	hrs	Client Info		0	0	0
Oil Changed		Client Info		N/A	N/A	N/A
Sample Status				NORMAL	NORMAL	NORMAL

CORROSION

All metal levels are normal indicating no corrosion in the cooling system.

Iron	ppm	ASTM D6130	>2	0	0	0
Aluminum	ppm	ASTM D6130	>2	0	0	0
Copper	ppm	ASTM D6130	>2	0	0	0
Lead	ppm	ASTM D6130	>2	0	0	0
Tin	ppm	ASTM D6130	>2	<1	<1	0
Zinc	ppm	ASTM D6130	>10	0	0	0

CONTAMINANTS










There is no indication of any contamination in the coolant.

Calcium	ppm	ASTM D6130	>5	0	0	0
Chlorine	ppm	ASTM D6130		<1	1	1
Magnesium	ppm	ASTM D6130	>6	0	0	0
Total Dissolved Solids				314.5	372.5	318.0
Appearance	scalar	*Visual	NORML	NORML	---	---
Odor	scalar	*Visual	NORML	NORML	---	---
Coolant Appearance		*Visual	Clear	normal	normal	normal

COOLANT CONDITION

Carboxylate test failed. Glycol and nitrite levels are acceptable. The pH level of this fluid is within the acceptable limits.

Boiling Point	°C	WC Method		225	225	225
Specific Gravity		*ASTM D1298		1.067	1.066	1.066
pH	Scale 0-14	ASTM D1287		8.12	8.05	8.12
Nitrites	ppm	AP-053:2009		900	712	788
Reserve Alkalinity	Scale 0-20	*ASTM D1121		---	---	---
Percentage Glycol	%	ASTM D3321		49.7	49.1	49.0
Freezing Point	°F	ASTM D3321		-33	-33	-33
Carboxylate				fail	fail	fail
Silicon	ppm	ASTM D6130	0	0	0	<1
Phosphorus	ppm	ASTM D6130	0	0	0	0
Boron	ppm	ASTM D6130	0	0	0	0
Molybdenum	ppm	ASTM D6130	950	687	727	798
Sodium	ppm	ASTM D6130		3918	4141	4756
Potassium	ppm	ASTM D6130		9	7	3
Coolant Color		*Visual		Red	Red	Red



Certificate L2367

Laboratory : WearCheck USA - 501 Madison Ave., Cary, NC 27513
Sample No. : WC0961111 **Received** : 10 Jul 2024
Lab Number : 06232737 **Tested** : 15 Jul 2024
Unique Number : 11116230 **Diagnosed** : 15 Jul 2024 - Jonathan Hester
Test Package : MOB 2 (Additional Tests: BoilingPoint, COOL, GlycolType)

WEARCHECK LUBRICATION SERVICES QA ACCOUNT
 501 Madison Ave
 Cary, NC
 US 27513
 Contact: WCLS CARY NC

To discuss this sample report, contact Customer Service at 1-800-237-1369.

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

T: (919)379-4102
 F: (919)379-4050