

# INCINERATOR SYSTEM

**Customer: PTRHTF10069**  
 CERTAINTEED - SAINT GOBAIN  
 3303 EAST 4TH AVENUE  
 SHAKOPEE, MN 55379 USA  
 Attn: Alex Hanley  
 Tel:  
 E-Mail: Alex.J.Hanley@saint-gobain.com




**System Information**  
 System Volume: 3000 gal  
 Bulk Operating Temp: 550F / 288C  
 Heating Source:  
 Blanket:  
 Fluid: PETRO CANADA CALFLO AF  
 Make: JOHN ZINK


**Sample Information**  
 Lab No: 02487798  
 Analyst: Neil Buchanan  
 Sample Date: 04/19/22  
 Received Date: 05/10/22  
 Completed: 05/12/22  
 Neil Buchanan  
 neil.buchanan@hollyfrontier.com

Recommendation: Sample looks good. Resample next interval to monitor.

Comments:




Sample Date	Received Date	Fluid Age	Sample Location	Flash Point (COC)	Water (KF)	Viscosity (40°C)	Acid Number	Solids	GCD 10%	GCD 50%	GCD 90%	GCD % < 335°C
	mm/dd/yy			°F/°C	ppm	cSt	mg/KOH/g	%wt	°F/°C	°F/°C	°F/°C	%
04/19/22	05/10/22	0.0y		414 / 212	5.3	30.2	0.20	0.015	701 / 372	798 / 426	899 / 482	1.65
04/29/21	05/11/21	6.0y		432 / 222	14.3	28.9	0.15	0.069	694 / 368	785 / 419	897 / 480	2.31
06/18/20	06/29/20	0.0y	main system	406 / 208	14.9	30.4	0.20	0.108	703 / 373	799 / 426	897 / 481	1.64
09/24/19	10/21/19	0.0y	MAIN SYSTEM FLOW	401 / 205	21.0	30.2	0.145	0.242	705 / 374	786 / 419	873 / 467	0.46
09/30/18	10/10/18	0.0y		410 / 210	6.2	30.5	0.05	0.032	703 / 373	795 / 424	892 / 478	0.00
Baseline Data				435 / 224		32.7	0.03		693 / 367	790 / 421	887 / 475	2.5





Sample Date	Iron	Chromium	Nickel	Aluminum	Copper	Lead	Tin	Cadmium	Silver	Vanadium	Silicon	Sodium	Potassium	Titanium	Molybdenum	Antimony	Manganese	Lithium	Boron	Magnesium	Calcium	Barium	Phosphorus	Zinc	
04/19/22	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	64	0	
04/29/21	61	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	66	0
06/18/20	41	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	78	0	
09/24/19	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	68	0
09/30/18	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	56	0
<b>Baseline Data</b>			0	0						0		0	0						0				270		

Elemental analysis results (above) in parts per million (ppm). [10,000 ppm = 1.0%]



**Historical Comments**

04/29/21	Iron levels show a noticeable increase but the sample remains very dry and so not from rust. Sample looks good otherwise. Resample next interval to monitor.
06/18/20	Sample properties remain good and constant. An increase in Iron is noted on a dry system which can be from new parts installed. Resample next interval to monitor.
09/24/19	The oil is holding steady with the properties remaining normal. Contamination by asphalt, water or other elements is insignificant or non-detectable. No actions needed at this time. Re-sample at next scheduled interval
09/30/18	Everything looks normal. Re-sample at next scheduled interval. No trace of contamination by asphalt or the elements or fluid degradation.

Petro-Canada makes no representation or warranty of any kind, either express or implied, as to the accuracy or completeness of the analysis and assumes no responsibility and shall have no liability whatsoever with respect to such analysis, or a party's use of it. Petro-Canada is a division of HollyFrontier Corporation.