# $\mathbf{R}$ **CONSTRUCTION EQUIPMENT**

## LIEBHERR LH60M 142743-1217 - Rear Right Wheel Hub

PETRO CANADA TRAXON SYNTHETIC 75W90

Sample No: LH0249566

**Oil Type:** 

## **SAMPLE INFORMATION**

Sample Number	LH0249566	 
Sample Date	12 Jul 2023	 
Machine Hours	1065	 
Oil Hours	0	 
Oil Changed	Changed	 
Sample Status	NORMAL	 

170

### **OIL CONDITION**

Visc @ 40°C . .

-

### cSt

Silicon	ppm	06					
Sodium	ppm	03					
Potassium	ppm	◯ <1					

<b>O</b>				
WEA	<b>AR META</b>	LS		
Iron	ppm	<b>2</b> 1	 	
Copper	ppm	0 11	 	
Lead	ppm	<b>○</b> <1	 	
Tin	ppm	0 (	 	
Aluminum	ppm	○ <1	 	
Chromium	ppm	<b>○</b> <1	 	
Molybdenum	ppm	0 (	 	
Nickel	ppm	0 (	 	
Titanium	ppm	0 🔘	 	
Silver	ppm	0	 	
Manganese	ppm	◯ <1	 	
Vanadium	ppm	0	 	



#### **ADDITIVES**

Calcium	ppm	<b>0</b> 21	 	
Magnesium	ppm	01	 	
Zinc	ppm	22	 	
Phosphorus	ppm	0 1197	 	
Barium	ppm	311	 	
Boron	ppm	29	 	



#### **RICHMOND STEEL RECYCLING**

11760 MITCHELL ROAD RICHMOND, BC CA V6V 1V8 Contact: Aaron Kaetler AKaetler@richmondsteel.ca T: F: (604)324-8617

### Diagnosis

Confirm the source of the lubricant being utilized for top-up/fill. Resample at the next service interval to monitor.All component wear rates are normal. There is no indication of any contamination in the oil. Additive levels indicate the addition of a different brand, or type of oil. Viscosity of sample indicates oil is within SAE 90 range, advise investigate. The condition of the oil is acceptable for the time in service.

Depot: Unique No: Signed: **Report Date:** 

#### RIC117RIC 5617507 Wes Davis 27 Jul 2023

Submitted By: ?





GRAPHS

 $\odot$ 

