LIEBHERR

CONSTRUCTION EQUIPMENT



Sample No: LH

Oil Type: GEAR OIL SAE 80W90

SAMPLE INFO	RMATION					
Sample Number	LH	LH0250095	LH0242828	LH0213737		
Sample Date	17 Sep 2023	27 Mar 2023	31 Oct 2022	23 Apr 2022		
Machine Hours	4000	2020	2020	1000		
Oil Hours	0	0	0	0		
Oil Changed	N/A	N/A	N/A	Changed		
Sample Status	NORMAL	NORMAL	NORMAL	NORMAL		
OIL CONDITION						
Visc @ 40°C cSt	176	O 181	O 178	O 185		

	CONTAMINA	TION				
Silicon	ppm	○ <1	<1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <	<1	3	
Sodium	ppm	2	O 2	O 2	3	
Potassium	ppm	0 <1	0	O 0	0	

WEAI	R METALS				
Iron	ppm	2	O 2	3	O 11
Copper	ppm	3	O 1	5	7
Lead	ppm	0 0	O <1	O <1	O <1
Tin	ppm	0	O 0	O 0	O 0
Aluminum	ppm	0 <1	O 0	O 0	 <1
Chromium	ppm	0	O 0	0 0	O <1
Molybdenum	ppm	0	O 0	O 0	O 0
Nickel	ppm	() <1	O <1	O <1	O 0
Titanium	ppm	0	0	0	0
Silver	ppm	<1	0	0	0
Manganese	ppm	0	O <1	O <1	O 1
Vanadium	ppm	0	0	0	0

ADDITIVES						
Calcium	ppm	14	08	8	6	
Magnesium	ppm	○ <1	O <1	O 0	O <1	
Zinc	ppm	4	O 5	6	O 7	
Phosphorus	ppm	2476	O 2530	2453	O 1205	
Barium	ppm	0	O 0	6	○ 366	
Boron	ppm	O <1	O 1	1	O 2	



Industrial Metals 550 Messier St. Winnipeg, MB CA R2J 0G5

Contact: Service Manager

T: F:

Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. There is no indication of any contamination in the oil. The condition of the oil is acceptable for the time in service.

Depot:IND550WINUnique No:5644328Signed:Wes DavisReport Date:18 Sep 2023





GRAPHS

