LIEBHERR

CONSTRUCTION EQUIPMENT



Sample No: LH0274846

Oil Type: LIEBHERR GEAR BASIC 90 LS

ā				
SAN	IPLE INFO	ORMATION		
Sample Number		LH0274846	LH0195627	
Sample Date		06 Oct 2023	12 Jul 2022	
Machine Hours		4924	2793	
Oil Hours		0	0	
Oil Changed		Changed	Not Changd	
Sample Status		NORMAL	NORMAL	
<u> </u>				
OIL	ONDITION	ON		
Visc @ 40°C	cSt	94.0	92.5	
CON	TAMINA	ATION		
Silicon	ppm	60	O 113	
Sodium	ppm	5	10	
Potassium	ppm	12	O 11	
	AR META			
Iron	ppm	208	O 195	
Copper	ppm	O <1	0 <1	
Lead	ppm	0 <1	0	
Tin	ppm	0 0	0 0	
Aluminum	ppm	15	O 34	
Chromium	ppm	2	0 2	
Molybdenum	ppm	0 0	0 <1	
Nickel Titanium	ppm	O <1	<1	
Silver	ppm	0	2	
	ppm	<1	0 2	
Manganese Vanadium	ppm	0	0	
	ppm	U	U	
ADD	ITIVES			
Calcium	ppm	13	O 23	
Magnesium	ppm	4	O 11	
Zinc	ppm	23	O 29	

1275

269



CLOUTHIER VENTURES LTD.

59 MATTHEWS STREET, R.R. # 5 PEMBROKE, ON

CA K8A 0A6

Contact: Travis Bennett tbennett@clouthierconst.com

T: (613)735-6531 F: (613)735-2769

Diagnosis

Confirm the source of the lubricant being utilized for top-up/fill.
Resample at the next service interval to monitor. All component wear rates are normal. There is no indication of any contamination in the oil. Additive levels indicate the addition of a different brand, or type of oil. The condition of the oil is acceptable for the time in service.

Depot: CLOPEM
Unique No: 5657772
Signed: Wes Davis
Report Date: 12 Oct 2023

1298

308

<1</p>

Phosphorus

Barium

Boron

ppm

ppm

ppm

LIEBHERR

CONSTRUCTION EQUIPMENT





GRAPHS

