LIEBHERR

CONSTRUCTION EQUIPMENT



Sample No: LH0241972

Oil Type: PETRO CANADA DURATRAN

ā					
SAM	PLE INFOR	MATION			
Sample Number		LH0241972	LH0240753	LH0170574	LH0144875
Sample Date		31 Oct 2023	23 Feb 2023	04 May 2020	24 Jul 2019
Machine Hours		9534	8090	3010	2003
Oil Hours		0	0	0	0
Oil Changed		Changed	Changed	Not Changd	Changed
Sample Status		NORMAL	ABNORMAL	ABNORMAL	NORMAL
A					
	ONDITION	ı			
Visc @ 40°C	cSt	37.7	37.8	37.1	○ 38.4
CONT	IAMINATI	ON			
Silicon	ppm	8	07	0 7	O 7
Sodium	ppm	0 1	O 2	O 5	O 7
Potassium	ppm	0 0	0 <1	01	0 1
,ee.					
(Ö) WEA	R METALS				
WEA					
Iron	ppm	9	O 12	O 6	O 6
Copper	ppm	○ <1	O <1	0 2	0 2
Lead	ppm	0 <1	0	0 <1	0 <1
Tin	ppm	0 0	0	0	0
Aluminum	ppm	2	O 2	0 1	O <1
Chromium	ppm	0	0	O <1	0
Molybdenum	ppm	0	O <1	0 <1	0 <1
Nickel	ppm	○ <1	0	O <1	0
Titanium	ppm	0	<1	<1	0
Silver	ppm	○ <1	0	O <1	0
Manganese	ppm	0	O <1	0 <1	O <1
Vanadium	ppm	0	0	0	0
ADDI					
ADDI	TIVES				
Calcium	ppm	3629	○ 3776	○ 3498	○ 3439
Magnesium	ppm	12	O 15	19	O 16
Zinc	ppm	1413	O 1398	O 1434	O 1433
Phosphorus	ppm	1145	O 1214	O 1173	O 1159
Barium	ppm	0 <1	O 0	O <1	0
Boron	ppm	105	O 106	O 101	102



Yard At A Time Concrete (1988) Ltd.

8155-92nd Street Delta, BC CA V4G 0A4

Contact: Service Manager

T: F:

Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. There is no indication of any contamination in the fluid. The fluid viscosity is lower than typical, possibly indicating the addition of lighter grade fluid. The condition of the fluid is acceptable for the time in service.

Depot: YARDEL
Unique No: 5671348
Signed: Kevin Marson
Report Date: 07 Nov 2023

LIEBHERR

CONSTRUCTION EQUIPMENT





GRAPHS

