# LIEBHERR

## **CONSTRUCTION EQUIPMENT**



Sample No: LH0178220

Oil Type: KENDALL NS-MP HYPOID GEAR 80W90

ā					
SAN	IPLE INFOR	MATION			
Sample Number		LH0178220	LH0235018	LH0195436	
Sample Date		28 Sep 2023	27 Oct 2022	20 Apr 2021	
Machine Hours		18600	17569	15200	
Oil Hours		500	500	500	
Oil Changed		Changed	Changed	Changed	
Sample Status		NORMAL	NORMAL	NORMAL	
<u> </u>					
OIL	CONDITION				
Visc @ 40°C	cSt	<b>118</b>	O 127	O 133	
		<u> </u>	9	9	
601					
CON	TAMINATIO	JN			
Silicon	ppm	<b>8</b>	O 7	<b>6</b>	
Sodium	ppm	<b>2</b>	<b>3</b>	<b>3</b>	
Potassium	ppm	<b>5</b>	0 8	<b>9</b>	
◎ WEA	AR METALS				
Iron	ppm	<b>124</b>	91	<b>104</b>	
Copper	ppm	<b>1</b>	O 2	O 1	
Lead	ppm	2	3	3	
Tin	ppm	0	0	0	
Aluminum	ppm	<b>2</b>	<b>3</b>	<b>3</b>	
Chromium	ppm	<b>2</b>	0 2	O 2	
Molybdenum	ppm	<b>0</b>	<b>1</b>	<b>0</b>	
Nickel	ppm	<b>()</b> <1	O <1	<1	
Titanium	ppm	0	<1	<1	
Silver	ppm	<1	0	<1	
Manganese	ppm	<b>0</b> <1	O 1	2	
Vanadium	ppm	0	0	0	
ADD	ITIVES				
Calcium	ppm	<b>25</b>	<b>3</b> 5	<b>1</b> 8	
Magnesium	ppm	<b>6</b>	O 11	<b>6</b>	
Zinc	ppm	<b>84</b>	O 106	O 75	
Phosphorus	ppm	O 523	O 591	O 594	
Barium	ppm	0 <1	0 0	O <1	
Boron	ppm	04	0 4	0 8	
	PPIII	<b>.</b>			



#### DOMINION NICKEL ALLOYS LTD.

834 APPLEBY LINE BURLINGTON, ON CA L7L 2Y7

Contact: Trevor Taylor trevor@domnickel.com T: (905)639-9939 F: (905)639-3788

#### Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. There is no indication of any contamination in the oil. The condition of the oil is acceptable for the time in service.

Depot:DOMBURUnique No:5681996Signed:Wes DavisReport Date:16 Nov 2023





### **GRAPHS**

