LIEBHERR

CONSTRUCTION EQUIPMENT



LIEBHERR L580 074359-1760 - Rear Left Wheel Hub

Sample No: LH0281080

Oil Type: LIEBHERR GEAR BASIC 90 LS

Ō				
SAN	APLE INFO	DRMATION		
Sample Number	r	LH0281080	 	
Sample Date		10 Jan 2024	 	
Machine Hours		908	 	
Oil Hours		0	 	
Oil Changed		Changed	 	
Sample Status		NORMAL	 	
OIL	CONDITIO	ON		
Visc @ 40°C	cSt	194	 	
-4				
CON	ITAMINA	TION		
Water	%	NEG	 	
Silicon	ppm	20	 	

CONTAMINATION						
Water	%	NEG				
Silicon	ppm	20				
Sodium	ppm	5				
Potassium	ppm	1				
Ø WEAL	DMETAIC					

WEA	R METALS			
Iron	ppm	188	 	
Copper	ppm	58	 	
Lead	ppm	2	 	
Tin	ppm	5	 	
Aluminum	ppm	2	 	
Chromium	ppm	2	 	
Molybdenum	ppm	0	 	
Nickel	ppm	○ <1	 	
Titanium	ppm	0	 	
Silver	ppm	0	 	
Manganese	ppm	28	 	
Vanadium	ppm	0	 	

ADDITIVES Calcium ppm 7 Magnesium ppm 4 Zinc ppm 16 Phosphorus ppm 2334 Barium ppm 0		1-1-					
Magnesium ppm 4 Zinc ppm 16 Phosphorus ppm 2334 Barium ppm 0	ADDITIVES						
Zinc ppm 16 <td>Calcium</td> <td>ppm</td> <td>7</td> <td></td> <td></td> <td></td>	Calcium	ppm	7				
Phosphorus ppm ○ 2334 Barium ppm ○ 0	Magnesium	ppm	4				
Barium ppm 0	Zinc	ppm	16				
	Phosphorus	ppm	2334				
	Barium	ppm	0				
Boron ppm 4	Boron	ppm	4				



RICHMOND STEEL RECYCLING

11760 MITCHELL ROAD RICHMOND, BC CA V6V 1V8

Contact: Aaron Kaetler AKaetler@richmondsteel.ca

T:

F: (604)324-8617

Diagnosis

The oil change at the time of sampling has been noted. Confirm the source of the lubricant being utilized for top-up/fill. Resample at the next service interval to monitor.Metal levels are typical for a new component breaking in. There is no indication of any contamination in the oil. Additive levels indicate the addition of a different brand, or type of oil. Viscosity of sample indicates oil is within SAE 90 range, advise investigate. The condition of the oil is acceptable for the time in service.

Depot: RIC117RIC
Unique No: 5709880
Signed: Kevin Marson
Report Date: 15 Jan 2024

LIEBHERR

CONSTRUCTION EQUIPMENT





GRAPHS

