## LIEBHERR

**CONSTRUCTION EQUIPMENT** 



### [[INDY TRANSPORT]] LIEBHERR L550 052805 - Splitter Box

Sample No: LH0254562

Oil Type: LIEBHERR GEAR BASIC 90 LS

_				
U SAM	PLE INFO	RMATION		
Sample Number		LH0254562	 	
Sample Date		08 Jul 2023	 	
Machine Hours		10836	 	
Oil Hours		1000	 	
Oil Changed		Changed	 	
Sample Status		NORMAL	 	
OIL C	ONDITIO	N		
Visc @ 40°C	cSt	97.3	 	
a.L.				
461				
CON	TAMINA	IION		
Silicon	ppm	<b>2</b>	 	
Sodium	ppm	<b>2</b>	 	
Potassium	ppm	<b>1</b>	 	
-				
(O) WEA	R METAL	<b>C</b>		
	IR MEIAL			
Iron	ppm	<b>29</b>	 	
Copper	ppm	<b>9</b>	 	
Lead	ppm	<b>1</b>	 	
Tin	ppm	<b>○</b> <1	 	
Aluminum	ppm	<b></b> <1	 	
Chromium	ppm	<b>5</b>	 	
Molybdenum	ppm	<b>1</b>	 	
Nickel	ppm	<b>0</b>	 	
Titanium	ppm	0	 	
Silver	ppm	0	 	
Manganese	ppm	<b>O</b> <1	 	
Vanadium	ppm	0	 	
ADD	ITIVES			
Calcium	ppm	<b>152</b>	 	
Magnesium	ppm	<b>0</b> 1	 	
Zinc	ppm	<b>113</b>	 	
Phosphorus	ppm	<b>585</b>	 	
Barium	ppm	0	 	
Danam	pp	0 00		



#### FINKBINER EQUIPMENT CO.

15 W 400 N FRONTAGE RD BURR RIDGE, IL

US 60527

Contact: DON FITZGERALD dfitzgerald@finkbiner.com

T: (815)546-8991 F: (630)654-3792

#### Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. There is no indication of any contamination in the oil. The condition of the oil is acceptable for the time in service.

Depot: LEC0033
Unique No: 10564294
Signed: Don Baldridge
Report Date: 21 Jul 2023

**33** 

ppm


Boron

# CONSTRUCTION EQUIPMENT






#### **GRAPHS**







#### Viscosity @ 40°C

