## LIEBHERR

### **CONSTRUCTION EQUIPMENT**



Sample No: LH0257953

Oil Type: GEAR OIL SAE 80W90

ā						
SAMP	PLE INFOR	MATION				
Sample Number		LH0257953				
Sample Date		25 Jul 2023				
Machine Hours		3460				
Oil Hours		0				
Oil Changed		Changed				
Sample Status		NORMAL				
OIL CONDITION						
Visc @ 40°C	cSt	<b>130</b>				
and the second						
CONT	AMINATIO	ON				
Silicon	ppm	<b>7</b>				
Sodium	ppm	<b>2</b>				
Potassium	ppm	<b>()</b> <1				
(A)						

WEA	R METALS			
Iron	ppm	<b>187</b>	 	
Copper	ppm	<b>36</b>	 	
Lead	ppm	<b>0</b>	 	
Tin	ppm	<b>()</b> <1	 	
Aluminum	ppm	<b>1</b>	 	
Chromium	ppm	<b>4</b>	 	
Molybdenum	ppm	<b>2</b>	 	
Nickel	ppm	<b>O</b> <1	 	
Titanium	ppm	<1	 	
Silver	ppm	0	 	
Manganese	ppm	<b>3</b>	 	
Vanadium	ppm	<1	 	
WII.				

ADDITIVES							
Calcium	ppm	<b>81</b>					
Magnesium	ppm	<b>19</b>					
Zinc	ppm	<b>67</b>					
Phosphorus	ppm	<b>1017</b>					
Barium	ppm	<b>0</b>					
Boron	ppm	<b>203</b>					





#### FINKBINER EQUIPMENT CO.

15 W 400 N FRONTAGE RD BURR RIDGE, IL

US 60527

Contact: DON FITZGERALD dfitzgerald@finkbiner.com

T: (815)546-8991 F: (630)654-3792

#### Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. There is no indication of any contamination in the oil. The condition of the oil is acceptable for the time in service.

Depot:LEC0033Unique No:10632187Signed:Doug BogartReport Date:05 Sep 2023

# CONSTRUCTION EQUIPMENT





#### **GRAPHS**

