LIEBHERR

CONSTRUCTION EQUIPMENT

LIEBHERR LH80M 1218-157090 - Rear Left Wheel Hub

Sample No: LH0282900

Oil Type: GEAR OIL SAE 80W90

| 5 | | | | | | |
|-------------------|-----|-------------|--|--|--|--|
| SAMPLEINFORMATION | | | | | | |
| Sample Number | | LH0282900 | | | | |
| Sample Date | | 19 Mar 2024 | | | | |
| Machine Hours | | 545 | | | | |
| Oil Hours | | 0 | | | | |
| Oil Changed | | Not Changd | | | | |
| Sample Status | | NORMAL | | | | |
| | | | | | | |
| OIL CONDITION | | | | | | |
| Visc @ 40°C | cSt | 164 | | | | |
| | | | | | | |

| CONTAMINATION | | | | | | | |
|---------------|-----|-----------|--|--|--|--|--|
| Water | % | NEG | | | | | |
| Silicon | ppm | 16 | | | | | |
| Sodium | ppm | 8 | | | | | |
| Potassium | ppm | 1 | | | | | |
| | | | | | | | |

| WEA | R METAL | .S | | |
|------------|---------|--------------|------|--|
| Iron | ppm | 120 | | |
| Copper | ppm | 5 | | |
| Lead | ppm | 0 | | |
| Tin | ppm | 2 | | |
| Aluminum | ppm | 2 | | |
| Chromium | ppm | () <1 | | |
| Molybdenum | ppm | () <1 | | |
| Nickel | ppm | () <1 | | |
| Titanium | ppm | 0 | | |
| Silver | ppm | 0 | | |
| Manganese | ppm | 2 | | |
| Vanadium | ppm | <1 | | |
| | | | | |

| Vanadium | ppm | <1 | | | | |
|------------|-----|-------------|--|--|--|--|
| | | | | | | |
| ADDITIVES | | | | | | |
| Calcium | ppm | 7 6 | | | | |
| Magnesium | ppm | 0 | | | | |
| Zinc | ppm | 21 | | | | |
| Phosphorus | ppm | 1244 | | | | |
| Barium | ppm | 0 | | | | |
| Boron | ppm | 0 | | | | |
| | | | | | | |



KINDER MORGAN

4301 IVERSON TRINITY, AL US 35601

Contact: RICKY JOHNSON ricky_johnson@kindermorgan.com

T:

F: (256)355-5250

Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. There is no indication of any contamination in the oil. The condition of the oil is acceptable for the time in service.

Depot: KINTRI
Unique No: 10950653
Signed: Wes Davis
Report Date: 28 Mar 2024

LIEBHERR

CONSTRUCTION EQUIPMENT





GRAPHS

