

LIEBHERR

CONSTRUCTION EQUIPMENT



LIEBHERR LH80M 1218-157090 - Hydraulic System

Sample No: LH0282884

Oil Type: TDH



KINDER MORGAN
 4301 IVERSON
 TRINITY, AL
 US 35601
 Contact: RICKY JOHNSON
 ricky_johnson@kindermorgan.com
 T:
 F: (256)355-5250



Sample Information

Sample Number	LH0282884	LH0282895	---	---
Sample Date	19 Apr 2024	19 Mar 2024	---	---
Machine Hours	997	545	---	---
Oil Hours	0	0	---	---
Oil Changed	Not Chngd	Not Chngd	---	---
Sample Status	NORMAL	NORMAL	---	---



Oil Condition

Visc @ 40°C	cSt	43.2	45.1	---	---
Acid Number (AN)	mg KOH/g	1.17	1.29	---	---



Contamination

Water	%	NEG	NEG	---	---
Particles >4µm		5272	4161	---	---
Particles >6µm		732	643	---	---
Particles >14µm		33	26	---	---
ISO 4406:1999 (c)		20/17/12	19/17/12	---	---
Silicon	ppm	5	4	---	---
Sodium	ppm	2	1	---	---
Potassium	ppm	1	0	---	---



Wear Metals

Iron	ppm	9	9	---	---
Copper	ppm	3	1	---	---
Lead	ppm	0	0	---	---
Tin	ppm	<1	0	---	---
Aluminum	ppm	<1	<1	---	---
Chromium	ppm	0	0	---	---
Molybdenum	ppm	2	1	---	---
Nickel	ppm	0	0	---	---
Titanium	ppm	0	0	---	---
Silver	ppm	0	0	---	---
Manganese	ppm	<1	0	---	---
Vanadium	ppm	0	0	---	---



Additives

Calcium	ppm	1598	1564	---	---
Magnesium	ppm	20	6	---	---
Zinc	ppm	765	749	---	---
Phosphorus	ppm	702	661	---	---
Barium	ppm	0	0	---	---
Boron	ppm	3	1	---	---

Diagnosis


Resample at the next service interval to monitor. All component wear rates are normal. The system cleanliness is acceptable for your target ISO 4406 cleanliness code. The system and fluid cleanliness is acceptable. The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

Depot: KINTRI
 Unique No: 11017992
 Signed: Wes Davis
 Report Date: 08 May 2024




Graphs


Ferrous Alloys




Non-ferrous Metals



Viscosity @ 40°C



Particle Count



Acid Number

