

LIEBHERR A 918 110890-1184 - Front Differential

Sample No: LH0258523

Oil Type: LIEBHERR GEAR BASIC 90 LS

Sample Information

Sample Number	LH0258523	 	
Sample Date	01 May 2024	 	
Machine Hours	6322	 	
Oil Hours	6322	 	
Oil Changed	Changed	 	
Sample Status	NORMAL	 	

Oil Condition

Visc @ 40°C

cSt

0 145

Cont	t <mark>aminat</mark> i	on		
Water	%	NEG	 	
Silicon	ppm	<mark></mark> <1	 	
Sodium	ppm	01	 	
Potassium	ppm	0 ()	 	

Ä				
Wea	ır Metal	S		
Iron	ppm	0 14	 	
Copper	ppm	0	 	
Lead	ppm	0	 	
Tin	ppm	○ <1	 	
Aluminum	ppm	0	 	
Chromium	ppm	○ <1	 	
Molybdenum	ppm	0	 	
Nickel	ppm	0	 	
Titanium	ppm	0	 	
Silver	ppm	0	 	
Manganese	ppm	01	 	
Vanadium	ppm	0	 	

0 **Additives** Calcium ppm 94 Magnesium ○ <1 ppm Zinc 0 35 ppm Phosphorus ppm 575 Barium 01 ppm Boron 03 ppm





UNITED SCRAP

1545 S CICERO AVE CHICAGO, IL US 60804 Contact:

T: F:

Diagnosis

Resample at the next service interval to monitor.All component wear rates are normal. There is no indication of any contamination in the oil. The condition of the oil is acceptable for the time in service.


Depot:UNICHILHUnique No:11029288Signed:Wes DavisReport Date:14 May 2024Contact/Location: ? ? - UNICHILH

LIEBHERR CONSTRUCTION EQUIPMENT



Graphs

Ferrous Alloys



Non-ferrous Metals

