

# LIEBHERR

## CONSTRUCTION EQUIPMENT



### LIEBHERR A914 128834-1507 - Hydraulic System

Sample No: LH0261827

Oil Type: LIEBHERR HYDRAULIC HVI



1000360735 ONTARIO LTD  
4848 CALABOGIE ROAD  
CALABOGIE, ON  
CA K0J 1H0  
Contact: Service Manager



#### INFORMATION SUR L'ÉCHANTILLON

Numéro d'échant.	LH0261827	LH0261826	---	---
Date d'échant.	08 Mar 2024	21 Jul 2023	---	---
Heures de la Machine	2498	1523	---	---
Heures de l'huile	0	0	---	---
Huile changée	Not Changd	Not Changd	---	---
Statut de l'échant.	NORMAL	ABNORMAL	---	---



#### ÉTAT D'HUILE

Visc 40°C	cSt	● 42.4	● 43.1	---	---
Indice d'acidité	mg KOH/g	● 1.36	● 1.45	---	---



#### CONTAMINATION

Eau	%	NEG	NEG	---	---
Particules >4µ		● 5820	● 33013	---	---
Particules >6µ		● 187	● 10979	---	---
Particules >14µ		● 11	● 461	---	---
ISO 4406:1999 (c)		20/15/11	22/21/16	---	---
Silicium	ppm	● 2	● 2	---	---
Sodium	ppm	● 2	● 2	---	---
Potassium	ppm	● 3	● <1	---	---



#### MÉTAUX D'USURE

Fer	ppm	● 8	● 6	---	---
Cuivre	ppm	● 2	● 2	---	---
Plomb	ppm	● 2	● 1	---	---
Étain	ppm	● 0	● 0	---	---
Aluminium	ppm	● 1	● <1	---	---
Chrome	ppm	● 1	● <1	---	---
Molybdène	ppm	● 0	● 0	---	---
Nickel	ppm	● <1	● 0	---	---
Titane	ppm	0	0	---	---
Argent	ppm	0	0	---	---
Manganèse	ppm	● 0	● 0	---	---
Vanadium	ppm	0	0	---	---



#### ADDITIFS

Calcium	ppm	● 1001	● 1007	---	---
Magnésium	ppm	● 4	● 4	---	---
Zinc	ppm	● 645	● 687	---	---
Phosphore	ppm	● 577	● 636	---	---
Baryum	ppm	● 0	● 0	---	---
Bore	ppm	● <1	● <1	---	---

T:  
F:

#### Diagnostic


Resample at the next service interval to monitor. NOTE: Please provide information regarding reservoir capacity, filter type and micron rating with next sample. All component wear rates are normal. The system cleanliness is acceptable for your target ISO 4406 cleanliness code. The system and fluid cleanliness is acceptable. The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

Depot: 100CAL  
Unique No: 5746208  
Signed: Wes Davis  
Report Date: 12 Mar 2024




### GRAPHS


#### Alliages ferreux




#### Métaux non-ferreux



#### Viscosité 40°C



#### Comptage de particules



#### Indice d'acidité

