


OIL ANALYSIS REPORT

Sample Rating Trend



NORMAL



Area
Cranes [450255636]
Machine Id
Crane - Fwd Slewing Gearbox #2 (S/N Sample Tag MA-04003-S8)
Component
Gearbox
Fluid
PETRO CANADA GEARLUBE TOS 80W90 (33 LTR)

DIAGNOSIS

Recommendation

Resample at the next service interval to monitor.

Wear

All component wear rates are normal.

Contamination

The system cleanliness is acceptable for your target ISO 4406 cleanliness code. The system and fluid cleanliness is acceptable.

Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

SAMPLE INFORMATION

method	limit/base	current	history1	history2
Sample Number	Client Info	PC0081065	PC0076456	PC
Sample Date	Client Info	24 Jan 2024	04 Oct 2023	13 Aug 2023
Machine Age	hrs	0	0	0
Oil Age	hrs	0	0	0
Oil Changed	Client Info	N/A	N/A	N/A
Sample Status		NORMAL	NORMAL	ABNORMAL

CONTAMINATION

method	limit/base	current	history1	history2
Water	WC Method >0.2	NEG	NEG	NEG

WEAR METALS






method	limit/base	current	history1	history2
PQ	ASTM D8184*	0	0	0
Iron	ppm ASTM D5185(m) >150	3	2	13
Chromium	ppm ASTM D5185(m) >10	0	0	<1
Nickel	ppm ASTM D5185(m) >10	<1	<1	0
Titanium	ppm ASTM D5185(m)	0	0	0
Silver	ppm ASTM D5185(m)	0	<1	0
Aluminum	ppm ASTM D5185(m) >5	<1	0	0
Lead	ppm ASTM D5185(m) >65	0	0	0
Copper	ppm ASTM D5185(m) >80	<1	<1	<1
Tin	ppm ASTM D5185(m) >8	0	0	0
Antimony	ppm ASTM D5185(m) >5	0	0	0
Vanadium	ppm ASTM D5185(m)	0	0	0
Beryllium	ppm ASTM D5185(m)	0	0	0
Cadmium	ppm ASTM D5185(m)	0	0	0

ADDITIVES

method	limit/base	current	history1	history2
Boron	ppm ASTM D5185(m) 240	254	267	188
Barium	ppm ASTM D5185(m) 1	0	<1	0
Molybdenum	ppm ASTM D5185(m) 0.0	0	0	0
Manganese	ppm ASTM D5185(m)	0	0	0
Magnesium	ppm ASTM D5185(m) 2	1	<1	<1
Calcium	ppm ASTM D5185(m) 6	3	3	17
Phosphorus	ppm ASTM D5185(m) 1000	1012	981	912
Zinc	ppm ASTM D5185(m) 3	4	3	15
Sulfur	ppm ASTM D5185(m) 19400	17623	17544	20996
Lithium	ppm ASTM D5185(m)	<1	<1	<1

CONTAMINANTS

method	limit/base	current	history1	history2
Silicon	ppm ASTM D5185(m) >20	3	4	3
Sodium	ppm ASTM D5185(m)	<1	<1	2
Potassium	ppm ASTM D5185(m) >20	<1	0	2



Laboratory : WearCheck - C8-1175 Appleby Line, Burlington, ON L7L 5H9
Sample No. : PC0081065 **Received** : 16 Feb 2024
Lab Number : **02616460** **Tested** : 21 Feb 2024
Unique Number : 5733570 **Diagnosed** : 21 Feb 2024 - Kevin Marson
Test Package : MAR 2 (Additional Tests: KV100, PQ, PrtCount, TAN Man, VI)

To discuss this sample report, contact Customer Service at 1-800-268-2131.
 Test denoted (*) outside scope of accreditation, (m) method modified, (e) tested at external lab.
 Validity of results and interpretation are based on the sample and information as supplied.


FLUID CLEANLINESS		method	limit/base	current	history1	history2
Particles >4µm	ASTM D7647	>20000	40605	50762	104877	
Particles >6µm	ASTM D7647	>5000	5093	9226	41174	
Particles >14µm	ASTM D7647	>640	81	61	▲ 4555	
Particles >21µm	ASTM D7647	>160	13	15	▲ 939	
Particles >38µm	ASTM D7647	>40	2	7	10	
Particles >71µm	ASTM D7647	>10	1	6	3	
Oil Cleanliness	ISO 4406 (c)	>21/19/16	23/20/14	23/20/13	▲ 24/23/19	

FLUID DEGRADATION		method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D974*	1.5	1.43	1.69	1.14

VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	Visual*	NONE	NONE	NONE	NONE
Yellow Metal	scalar	Visual*	NONE	NONE	NONE	NONE
Precipitate	scalar	Visual*	NONE	NONE	NONE	NONE
Silt	scalar	Visual*	NONE	NONE	NONE	VLITE
Debris	scalar	Visual*	NONE	NONE	NONE	VLITE
Sand/Dirt	scalar	Visual*	NONE	NONE	NONE	NONE
Appearance	scalar	Visual*	NORML	NORML	NORML	NORML
Odor	scalar	Visual*	NORML	NORML	NORML	NORML
Emulsified Water	scalar	Visual*	>0.2	NEG	NEG	NEG
Free Water	scalar	Visual*		NEG	NEG	NEG

FLUID PROPERTIES		method	limit/base	current	history1	history2
Visc @ 40°C	cSt	ASTM D7279(m)	140.3	140	140	151
Visc @ 100°C	cSt	ASTM D7279(m)	15.05	14.9	14.8	15.6
Viscosity Index (VI)	Scale	ASTM D2270*	109	106	105	105

SAMPLE IMAGES



Suncor - Terra Nova Projects
 Scotia Centre, 235 Water Street
 St. John's, NL
 CA A1C 1B6
 Contact: Josh Hynes
 joshhynes@suncor.com
 T: (709)778-3575
 F: (709)724-2835