


OIL ANALYSIS REPORT

Sample Rating Trend

NORMAL



Area
Cranes
Machine Id
Crane - Mid - Hydraulic System (Slewing) (S/N Sample Tag MA-04002-S2)
Component
Hydraulic System
Fluid
PETRO CANADA ATF DEXRON III/MERCON (800 LTR)

DIAGNOSIS

Recommendation

Resample at the next service interval to monitor.

Wear

All component wear rates are normal.

Contamination

The system cleanliness is acceptable for your target ISO 4406 cleanliness code. The system and fluid cleanliness is acceptable.

Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

SAMPLE INFORMATION

method	limit/base	current	history1	history2
Sample Number	Client Info	PC	PC0076222	PC0052587
Sample Date	Client Info	20 Mar 2024	04 Oct 2023	12 Aug 2023
Machine Age	hrs	0	0	0
Oil Age	hrs	0	0	0
Oil Changed	Client Info	N/A	N/A	N/A
Sample Status		NORMAL	NORMAL	ATTENTION

CONTAMINATION

method	limit/base	current	history1	history2
Water	WC Method >0.05	NEG	NEG	NEG

WEAR METALS






method	limit/base	current	history1	history2
PQ	ASTM D8184*	0	0	0
Iron	ppm ASTM D5185(m) >20	<1	<1	2
Chromium	ppm ASTM D5185(m) >10	0	0	0
Nickel	ppm ASTM D5185(m) >10	0	<1	<1
Titanium	ppm ASTM D5185(m)	0	0	0
Silver	ppm ASTM D5185(m)	0	<1	0
Aluminum	ppm ASTM D5185(m) >10	<1	0	<1
Lead	ppm ASTM D5185(m) >20	0	<1	2
Copper	ppm ASTM D5185(m) >20	1	1	3
Tin	ppm ASTM D5185(m) >10	0	0	<1
Antimony	ppm ASTM D5185(m)	0	0	0
Vanadium	ppm ASTM D5185(m)	0	0	0
Beryllium	ppm ASTM D5185(m)	0	0	0
Cadmium	ppm ASTM D5185(m)	0	0	0

ADDITIVES

method	limit/base	current	history1	history2
Boron	ppm ASTM D5185(m) 130	94	102	82
Barium	ppm ASTM D5185(m) 1.0	2	2	8
Molybdenum	ppm ASTM D5185(m) 0.0	0	0	0
Manganese	ppm ASTM D5185(m)	0	0	0
Magnesium	ppm ASTM D5185(m) 1.0	2	1	<1
Calcium	ppm ASTM D5185(m) 20	65	65	36
Phosphorus	ppm ASTM D5185(m) 280	238	236	313
Zinc	ppm ASTM D5185(m) 10	46	45	141
Sulfur	ppm ASTM D5185(m) 440	698	724	821
Lithium	ppm ASTM D5185(m)	<1	<1	<1

CONTAMINANTS

method	limit/base	current	history1	history2
Silicon	ppm ASTM D5185(m) >15	<1	2	1
Sodium	ppm ASTM D5185(m)	<1	1	3
Potassium	ppm ASTM D5185(m) >20	<1	0	1



Laboratory : WearCheck - C8-1175 Appleby Line, Burlington, ON L7L 5H9
Sample No. : PC **Received** : 02 Apr 2024
Lab Number : **02626062** **Tested** : 03 Apr 2024
Unique Number : 5759194 **Diagnosed** : 03 Apr 2024 - Kevin Marson
Test Package : MAR 2 (Additional Tests: KV100, PQ, VI)

To discuss this sample report, contact Customer Service at 1-800-268-2131.
 Test denoted (*) outside scope of accreditation, (m) method modified, (e) tested at external lab.
 Validity of results and interpretation are based on the sample and information as supplied.

FLUID CLEANLINESS		method	limit/base	current	history1	history2
Particles >4µm	ASTM D7647	>5000	1422	889	7752	1750
Particles >6µm	ASTM D7647	>1300	357	119	101	23
Particles >14µm	ASTM D7647	>160	46	8	0	0
Particles >21µm	ASTM D7647	>40	18	2	0	0
Particles >38µm	ASTM D7647	>10	3	0	0	0
Particles >71µm	ASTM D7647	>3	1	0	0	0
Oil Cleanliness	ISO 4406 (c)	>19/17/14	18/16/13	17/14/10	20/18/14	

FLUID DEGRADATION		method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D974*	0.16	0.81	0.98	0.98

VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	Visual*	NONE	NONE	NONE	NONE
Yellow Metal	scalar	Visual*	NONE	NONE	NONE	NONE
Precipitate	scalar	Visual*	NONE	NONE	NONE	NONE
Silt	scalar	Visual*	NONE	NONE	NONE	NONE
Debris	scalar	Visual*	NONE	VLITE	NONE	VLITE
Sand/Dirt	scalar	Visual*	NONE	NONE	NONE	NONE
Appearance	scalar	Visual*	NORML	NORML	NORML	NORML
Odor	scalar	Visual*	NORML	NORML	NORML	NORML
Emulsified Water	scalar	Visual*	>0.05	NEG	NEG	NEG
Free Water	scalar	Visual*		NEG	NEG	NEG

FLUID PROPERTIES		method	limit/base	current	history1	history2
Visc @ 40°C	cSt	ASTM D7279(m)	34.26	25.4	26.6	21.7
Visc @ 100°C	cSt	ASTM D7279(m)	7.7	5.4	5.6	4.7
Viscosity Index (VI)	Scale	ASTM D2270*	210	154	156	139

SAMPLE IMAGES		method	limit/base	current	history1	history2
Color						
Bottom						

Suncor - Terra Nova Projects
 Scotia Centre, 235 Water Strret
 St. John's, NL
 CA A1C 1B6
 Contact: Josh Hynes
 joshynes@suncor.com
 T: (709)778-3575
 F: (709)724-2835