
## **PROBLEM SUMMARY**

Sample Rating Trend





Machine Id 933021 Component **Hydraulic System** PETRO CANADA HYDREX MV 46 (--- GAL)

COMPONENT CONDITION SUMMARY

No relevant graphs to display

RECOMMENDATION	PROBLEMATIC TEST RESULTS		
The filter change at the time of campling has been	Sample Status	ABNORMAL	 

The filter change at the time of sampling has been noted. Resample at the next service interval to monitor. We were unable to perform a particle count due to metal particles present in this sample.

Sample Status ABNORMAL	
White Metal scalar *Visual NONE A MODER	

Customer Id: GFL836 Sample No.: GFL0087189 Lab Number: 05904886 Test Package: FLEET



To manage this report scan the QR code

To discuss the diagnosis or test data: Don Baldridge +1 don.b505@comcast.net

To change component or sample information: Customer Service +1 1-800-237-1369 customerservice@wearcheck.com

RECOMMEN	NDED ACTIONS			
Action	Status	Date	Done By	Description
Alert			?	We were unable to perform a particle count due to metal particles present in this sample.

HISTORICAL DIAGNOSIS



### **OIL ANALYSIS REPORT**



# Machine Id 933021

Component Hydraulic System Fluid PETRO CANADA HYDREX MV 46 (--- GAL)

#### DIAGNOSIS

#### Recommendation

The filter change at the time of sampling has been noted. Resample at the next service interval to monitor. We were unable to perform a particle count due to metal particles present in this sample.

#### 🔺 Wear

Moderate concentration of visible metal present. All component wear rates are normal.

#### Contamination

No other contaminants were detected in the oil.

#### Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is acceptable for the time in service.

				Jul2023		
SAMPLE INFORMA	ATION	method	limit/base	current	history1	history2
Sample Number		Client Info		GFL0087189		
Sample Date		Client Info		19 Jul 2023		
Machine Age h	nrs	Client Info		2369		
Oil Age h	nrs	Client Info		2369		
Oil Changed		Client Info		Not Changd		
Sample Status				ABNORMAL		
WEAR METALS		method	limit/base	current	history1	history2
Iron p	opm	ASTM D5185m	>20	20		
Chromium p	opm	ASTM D5185m	>10	<1		
Nickel p	opm	ASTM D5185m	>10	0		
Titanium p	opm	ASTM D5185m		0		
	pm	ASTM D5185m		0		
	opm	ASTM D5185m	>10	0		
	opm	ASTM D5185m	>10	<1		
	opm	ASTM D5185m		8		
	opm	ASTM D5185m	>10	ء <1		
	opm	ASTM D5185m	- 10	0		
	opm	ASTM D5185m		0		
ADDITIVES	-	method	limit/base	current	history1	history2
_	opm	ASTM D5185m	0	0		
	opm	ASTM D5185m	0	2		
		ASTM D5185m	0	1		
	opm		1	، <1		
	opm	ASTM D5185m				
	opm	ASTM D5185m	0	39		
	opm	ASTM D5185m	50	63		
	opm	ASTM D5185m	330	322		
- ···	opm	ASTM D5185m	430	393		
	opm	ASTM D5185m	760	1120		
CONTAMINANTS	S	method	limit/base	current	history1	history2
	opm	ASTM D5185m	>20	4		
Sodium p	opm	ASTM D5185m		6		
Potassium p	opm	ASTM D5185m	>20	3		
FLUID DEGRADA	TION	method	limit/base	current	history1	history2
Acid Number (AN)	ng KOH/g	ASTM D8045	0.70	0.39		
VISUAL		method	limit/base	current	history1	history2
White Metal s	scalar	*Visual	NONE	A MODER		
Yellow Metal s	scalar	*Visual	NONE	NONE		
Precipitate s	scalar	*Visual	NONE	NONE		
	scalar	*Visual	NONE	NONE		
	scalar	*Visual	NONE	NONE		
	scalar	*Visual	NONE	NONE		
	scalar	*Visual	NORML	NORML		
	scalar	*Visual	NORML	NORML		
	scalar	*Visual	>0.1	NEG		
		*Visual		NEG		
48:55) Rev: 1			n: Soo alaa		 337, 840 - Rober	

Contact/Location: See also GFL823, 834, 837, 840 - Robert Hart - GFL836



## **OIL ANALYSIS REPORT**



Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

Contact/Location: See also GFL823, 834, 837, 840 - Robert Hart - GFL836