

# **OIL ANALYSIS REPORT**



Machine Id

### 5 Component

# Diesel Engine

# PETRO CANADA DURON SHP 10W30 (--- GAL)

## DIAGNOSIS

#### Recommendation

Resample at the next service interval to monitor.

#### Wear

Metal levels are typical for a components first oil change.

#### Contamination

Elevated aluminum (Al) and/or lead (Pb) and potassium (K) levels in your metals analysis are likely a result of solder flux release into the lubricant and is common on new equipment/components. There is no indication of any contamination in the oil.

### Fluid Condition


The BN result indicates that there is suitable alkalinity remaining in the oil. The condition of the oil is suitable for further service.


AL)				Dec2023		
SAMPLE INFOF	RMATION	method	limit/base	current	history1	history2
Sample Number		Client Info		PCA0110784		
Sample Date		Client Info		07 Dec 2023		
Machine Age	mls	Client Info		20061		
Dil Age	mls	Client Info		20061		
Dil Changed		Client Info		Changed		
Sample Status				NORMAL		
CONTAMINA	ΓΙΟΝ	method	limit/base	current	history1	history2
uel		WC Method	>5	<1.0		
Vater		WC Method	>0.2	NEG		
Glycol		WC Method		NEG		
WEAR METAI	_S	method	limit/base	current	history1	history2
ron	ppm	ASTM D5185m	>100	58		
Chromium	ppm	ASTM D5185m	>20	2		
Nickel	ppm	ASTM D5185m	>4	0		
Titanium	ppm	ASTM D5185m		<1		
Silver	ppm	ASTM D5185m	>3	<1		
Aluminum	ppm	ASTM D5185m	>20	15		
ead	ppm	ASTM D5185m	>40	0		
Copper	ppm	ASTM D5185m	>330	13		
- in	ppm	ASTM D5185m		<1		
/anadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m	2	15		
Barium	ppm	ASTM D5185m	0	0		
Nolybdenum	ppm	ASTM D5185m	50	16		
Nanganese	ppm	ASTM D5185m		2		
/agnesium	ppm	ASTM D5185m	950	833		
Calcium	ppm	ASTM D5185m	1050	1261		
Phosphorus	ppm	ASTM D5185m	995	824		
Zinc	ppm	ASTM D5185m	1180	999		
Sulfur	ppm	ASTM D5185m	2600	2998		
CONTAMINA	NTS	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>25	18		
Sodium	ppm	ASTM D5185m		1		
Potassium	ppm	ASTM D5185m	>20	45		
INFRA-RED		method	limit/base	current	history1	history2
Soot %	%	*ASTM D7844	>3	0.3		
		*ASTM D7624		10.5		
Vitration	Abs/cm					
	Abs/cm Abs/.1mm	*ASTM D7415	>30	23.2		
	Abs/.1mm	*ASTM D7415	>30 limit/base	23.2 current	 history1	 history2
Nitration Sulfation FLUID DEGRA Oxidation	Abs/.1mm	*ASTM D7415	limit/base			 history2 




# **OIL ANALYSIS REPORT**

VISUAL







To discuss this sample report, contact Customer Service at 1-800-237-1369.

\* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

Certificate L2367

T: (980)225-9968

F: (704)588-2901