

OIL ANALYSIS REPORT

Area INJECT B ROOM [98635795] Machine Id KR-GF-003239 - INCLINE AUGER A NORTH (S/N INJECT B - 11513040) Component

Gearbox

PETRO CANADA 220 (9 QTS)

DIAGNOSIS

Recommendation

No corrective action is recommended at this time. Resample at the next service interval to monitor. (Customer Sample Comment: 98635795)

Wear


All component wear rates are normal.

Contamination

There is a high amount of silt (particulates < 14 microns in size) present in the oil.

Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.




SAMPLE INFORM	1ATION	method	limit/base	current	history1	history2
Sample Number		Client Info		PCA0111165	PCA0106048	PCA0099334
Sample Date		Client Info		20 Dec 2023	22 Sep 2023	17 Jul 2023
Machine Age	hrs	Client Info		0	0	0
Oil Age	hrs	Client Info		0	0	0
Oil Changed		Client Info		Not Changd	N/A	N/A
Sample Status				ABNORMAL	ABNORMAL	SEVERE
CONTAMINATI	ON	method	limit/base	current	history1	history2
Water		WC Method	>0.2	NEG	NEG	NEG
WEAR METALS	5	method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>200	8	8	4 33
Chromium	ppm	ASTM D5185m	>15	0	0	2
Nickel	ppm	ASTM D5185m	>15	0	0	0
Titanium	ppm	ASTM D5185m		0	<1	0
Silver	ppm	ASTM D5185m		0	0	0
Aluminum	ppm	ASTM D5185m	>25	0	0	1
Lead	ppm	ASTM D5185m	>100	0	0	0
Copper	ppm	ASTM D5185m	>200	0	<1	0
Tin	ppm	ASTM D5185m	>25	0	0	<1
Vanadium	ppm	ASTM D5185m		0	<1	0
Cadmium	ppm	ASTM D5185m		0	0	<1
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0	0	2
Barium	ppm	ASTM D5185m		0	0	0
Molybdenum	ppm	ASTM D5185m		0	0	5
Manganese	ppm	ASTM D5185m		<1	<1	2
Magnesium	ppm	ASTM D5185m		0	0	2
Calcium	ppm	ASTM D5185m		0	3	9
Phosphorus	ppm	ASTM D5185m		354	407	268
Zinc	ppm	ASTM D5185m		0	0	24
Sulfur	ppm	ASTM D5185m		3443	3909	13738
CONTAMINAN	ΓS	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>50	2	2	6
Sodium	ppm	ASTM D5185m		3	<1	2
				-		
Potassium	ppm	ASTM D5185m	>20	1	0	0
Potassium FLUID CLEANL			>20 limit/base	1 current		0 history2
FLUID CLEANL					0	
Potassium FLUID CLEANL Particles >4µm Particles >6µm		method	limit/base	current	0 history1	history2
FLUID CLEANL Particles >4μm Particles >6μm		method ASTM D7647	limit/base >10000	current	0 history1 ▲ 97232	history2
FLUID CLEANL Particles >4µm		method ASTM D7647 ASTM D7647	limit/base >10000 >2500	current ▲ 111264 ▲ 8361	0 history1 ▲ 97232 ▲ 14240	history2
FLUID CLEANL Particles >4μm Particles >6μm Particles >14μm		method ASTM D7647 ASTM D7647 ASTM D7647	limit/base >10000 >2500 >640	current ▲ 111264 ▲ 8361 89	0 history1 ▲ 97232 ▲ 14240 185	history2
FLUID CLEANL Particles >4μm Particles >6μm Particles >14μm Particles >21μm		methodASTM D7647ASTM D7647ASTM D7647ASTM D7647	limit/base >10000 >2500 >640 >160 >40	current ▲ 111264 ▲ 8361 89 20	0 history1 ▲ 97232 ▲ 14240 185 34	history2
FLUID CLEANL Particles >4μm Particles >6μm Particles >14μm Particles >21μm Particles >38μm Particles >71μm		methodASTM D7647ASTM D7647ASTM D7647ASTM D7647ASTM D7647	limit/base >10000 >2500 >640 >160 >40	current ▲ 111264 ▲ 8361 89 20 1	0 history1 ▲ 97232 ▲ 14240 185 34 6	history2
FLUID CLEANL Particles >4μm Particles >6μm Particles >14μm Particles >21μm Particles >38μm Particles >71μm	INESS	methodASTM D7647ASTM D7647ASTM D7647ASTM D7647ASTM D7647ASTM D7647	limit/base >10000 >2500 >640 >160 >40 >10	current ▲ 111264 ▲ 8361 89 20 1 0	0 history1 ▲ 97232 ▲ 14240 185 34 6 6 6	history2
FLUID CLEANL Particles >4μm Particles >6μm Particles >14μm Particles >21μm Particles >38μm Particles >71μm Oil Cleanliness	INESS	method ASTM D7647 ASTM D7647 ASTM D7647 ASTM D7647 ASTM D7647 ASTM D7647 ISO 4406 (c)	limit/base >10000 >2500 >640 >160 >40 >10 >10 >20/18/16	current ▲ 111264 ▲ 8361 89 20 1 0 ▲ 24/20/14	0 history1 ▲ 97232 ▲ 14240 185 34 6 6 6 ▲ 24/21/15	history2


Report Id: KRAKIR [WUSCAR] 06047766 (Generated: 01/02/2024 09:24:06) Rev: 1


Submitted By: Wilberto Pacheco Garcia



OIL ANALYSIS REPORT








VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE	NONE	NONE
Yellow Metal	scalar	*Visual	NONE	NONE	NONE	NONE
Precipitate	scalar	*Visual	NONE	NONE	NONE	NONE
Silt	scalar	*Visual	NONE	NONE	NONE	NONE
Debris	scalar	*Visual	NONE	NONE	NONE	NONE
Sand/Dirt	scalar	*Visual	NONE	NONE	NONE	NONE
Appearance	scalar	*Visual	NORML	NORML	NORML	A HAZY
Odor	scalar	*Visual	NORML	NORML	NORML	NORML
Emulsified Water	scalar	*Visual	>0.2	NEG	NEG	0.2%
Free Water	scalar	*Visual		NEG	NEG	NEG
FLUID PROPE	RTIES	method	limit/base	current	history1	history2
Visc @ 40°C	cSt	ASTM D445		214	213	226
SAMPLE IMAG	ES	method	limit/base	current	history1	history2
Color				•	yer .	
				Mar Mar	1 7 8	

Bottom



Submitted By: Wilberto Pacheco Garcia