

# **OIL ANALYSIS REPORT**

Sample Rating Trend





#### Pump Fluid

PETRO CANADA ENDURATEX EP 220 (--- GAL)

## DIAGNOSIS

#### Recommendation

Resample at the next service interval to monitor.

#### Wear

All component wear rates are normal.

#### Contamination

There is no indication of any contamination in the oil.

## Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

,				Jan2024		
SAMPLE INFORI	MATION	method	limit/base	current	history1	history2
Sample Number		Client Info		PCA0098131		
Sample Date		Client Info		10 Jan 2024		
Machine Age	yrs	Client Info		0		
Oil Age	yrs	Client Info		0		
Oil Changed		Client Info		N/A		
Sample Status				NORMAL		
CONTAMINAT	ION	method	limit/base	current	history1	history2
Water		WC Method	>.1	NEG		
WEAR METAL	S	method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>90	72		
Chromium	ppm	ASTM D5185m	>5	0		
Nickel	ppm	ASTM D5185m	>5	0		
Titanium	ppm	ASTM D5185m	>3	0		
Silver	ppm	ASTM D5185m	>3	0		
Aluminum	ppm	ASTM D5185m	>7	0		
Lead	ppm	ASTM D5185m	>12	6		
Copper	ppm	ASTM D5185m	>30	0		
Tin	ppm	ASTM D5185m	>9	0		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m	60	26		
Barium	ppm	ASTM D5185m	0	0		
Molybdenum	ppm	ASTM D5185m	0	0		
Manganese	ppm	ASTM D5185m	0	<1		
Magnesium	ppm	ASTM D5185m	0	1		
Calcium	ppm	ASTM D5185m	0	8		
Phosphorus	ppm	ASTM D5185m	270	382		
Zinc	ppm	ASTM D5185m	0	44		
Sulfur	ppm	ASTM D5185m	11200	5653		
CONTAMINAN	TS	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>60	4		
Sodium	ppm	ASTM D5185m		2		
Potassium	ppm	ASTM D5185m	>20	1		
FLUID DEGRA	DATION	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045	0.40	1.10		




200

190 Jan10/24

Ď.

Abnormal

# **OIL ANALYSIS REPORT**



	VISUAL		method	limit/base	current	history1	history2
	White Metal	scalar	*Visual	NONE	NONE		
	Yellow Metal	scalar	*Visual	NONE	NONE		
	Precipitate	scalar	*Visual	NONE	NONE		
	Silt	scalar	*Visual	NONE	NONE		
	Debris	scalar	*Visual	NONE	NONE		
	Sand/Dirt	scalar	*Visual	NONE	NONE		
Jan 10/24	Appearance	scalar	*Visual	NORML	NORML		
ر ar	Odor	scalar	*Visual	NORML	NORML		
	Emulsified Water	scalar	*Visual	>.1	NEG		
	Free Water	scalar	*Visual		NEG		
	FLUID PROPE	RTIES	method	limit/base	current	history1	history2
	Visc @ 40°C	cSt	ASTM D445	220	215		
	SAMPLE IMAG	GES	method	limit/base	current	history1	history2
Jan 10/24	Color					no image	no image
	Bottom					no image	no image
	20 0 + 50 700 L L L L L L L L L L L L L L L L L L			Jan 10/24			
	Non-ferrous Metal	ls					
	Viscosity @ 40°C			Jan 10/24			
	250 Abnormal				Acid Number		
	240			Hoy 1	.0		
	230 - Base			Acid Number (mg KOH(g) 0 0 0 0 1 1	.7-		
ć	<sup>3</sup> 210 -			quint of the second sec	.5 Base		
	200 Abnormal			Acid N	.2		
	190 + +				.0		ŝ
	Jan 10/24			Jan 10/24	Jan 1 0/2 4		-
Laboratory Sample No. Lab Number Unique Number Test Package scuss this sample report,	: 06058261 : 10829643 : IND 2 contact Customer Serv	l : 11 . ed : 14 . ician : Dor 00-237-1369	Jan 2024 Jan 2024 n Baldridge 9.	C	CERTAINTEED COR 200 RONTHOR D SOCIAL CIRCLE, G US 3002 Contact: MARK KIRKPATRIC MARK.W.KIRKPATRICK@SAINT-GOBAIN.CO		
	are outside of the ISO 1	7005					Т

1.