

OIL ANALYSIS REPORT

Sample Rating Trend







Machine Id 428116 Component Transmission (Auto) Fluid DEXRON III (--- GAL)

DIAGNOSIS

Recommendation

Resample at the next service interval to monitor.

Wear

All component wear rates are normal.

Contamination

There is no indication of any contamination in the fluid.

Fluid Condition


The condition of the fluid is acceptable for the time in service.

SAMPLE INFOR	MATION	method	limit/base	current	history1	history2
Sample Number		Client Info		GFL0093058		
Sample Date		Client Info		05 Feb 2024		
Machine Age	mls	Client Info		228652		
Oil Age	mls	Client Info		0		
Oil Changed		Client Info		Changed		
Sample Status				NORMAL		
CONTAMINAT	ION	method	limit/base	current	history1	history2
Water		WC Method	>0.1	NEG		
WEAR METAL	.S	method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>160	124		
Chromium	ppm	ASTM D5185m	>5	<1		
Nickel	ppm	ASTM D5185m	>5	<1		
Titanium	ppm	ASTM D5185m		<1		
Silver	ppm	ASTM D5185m	>5	<1		
Aluminum	ppm	ASTM D5185m	>50	21		
Lead	ppm	ASTM D5185m	>50	10		
Copper	ppm	ASTM D5185m	>225	22		
Tin	ppm	ASTM D5185m	>10	2		
Vanadium	ppm	ASTM D5185m		<1		
Cadmium	ppm	ASTM D5185m		<1		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		80		
Barium	ppm	ASTM D5185m		0		
Molybdenum	ppm	ASTM D5185m		<1		
Manganese	ppm	ASTM D5185m		2		
Magnesium	ppm	ASTM D5185m		2		
Calcium	ppm	ASTM D5185m		107		
Phosphorus	ppm	ASTM D5185m		196		
Zinc	ppm	ASTM D5185m		16		
Sulfur	ppm	ASTM D5185m		1653		
CONTAMINAN	ITS	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>20	8		
Sodium	ppm	ASTM D5185m		0		
Potassium	ppm	ASTM D5185m	>20	2		
VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE		
Yellow Metal	scalar	*Visual	NONE	NONE		
Precipitate	scalar	*Visual	NONE	NONE		
Silt	scalar	*Visual	NONE	NONE		
Debris	scalar	*Visual	NONE	NONE		
Sand/Dirt	scalar	*Visual	NONE	NONE		
Appearance	scalar	*Visual	NORML	NORML		
Odor	scalar	*Visual	NORML	NORML		
Emulsified Water	scalar	*Visual	>0.1	NEG		
Free Water	scalar	*Visual		NEG		
26:46) Rev: 1			Cont	act/Location: C	hristyan Trent-P	roctor - GFL413

Page 1 of 2



OIL ANALYSIS REPORT



FLUID F	ROPEF	RTIES	methe	bd	limit/base	curre	ent	history1		history
Visc @ 40°0	2	cSt	ASTM D)445	35.0	33.1			-	
SAMPL	e image	ES	metho	bd	limit/base	curre	ent	history1		history
Calca										
Color						no imag	ge	no image		no image
D										
Bottom						no imag	ge	no image		no imag
GRAPH										
Ferrous A	loys									
	mium									
80										
60 -										
40 - 20 -										
0										
Feb5/24					Feb 5/24					
Non-ferro	us Metals									
20 18	per i									
16										
E 12 E 10										
8-										
4										
0					24					
Feb 5/2 4					Feb5/24					
Viscosity (@ 40°C									
40 - Abnormal										
35 - Base										
SS (1 0°C) SS										
25 -										
20 - Abnormal					-					
15										
Feb5/24					Feb5/24					
: WearCheck L						GI	FL Enviro	nmental - 41		
: GFL0093058 : <mark>06092071</mark>		Recei Teste	d	: 19	Feb 2024 Feb 2024			2959		ELAND
: 10884924 : FLEET		Diagn	osed	: 20 I	eb 2024 - Dor	n Baldridge	Con	tact: Chris		US 46 ent-Pro
, contact Custor	ner Servic	e at 1-8	00-237-	1369			001	ctrentpr		

To discuss this same * - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

Certificate L2367

ų

F: