

OIL ANALYSIS REPORT

Sample Rating Trend







Machine Id **26564** Component **Transmission (Manual)** Fluid **{not provided} (--- GAL)**

DIAGNOSIS

Recommendation

Resample at the next service interval to monitor.

Wear

All component wear rates are normal.

Contamination

There is no indication of any contamination in the fluid.


Fluid Condition

The condition of the fluid is acceptable for the time in service.

SAMPLE INFORM	MATION	method	limit/base	current	history1	history2		
Sample Number		Client Info		PCA0118715				
Sample Date		Client Info		26 Feb 2024				
Machine Age	mls	Client Info		316157				
Oil Age	mls	Client Info		316157				
Oil Changed		Client Info		Oil Added				
Sample Status				NORMAL				
CONTAMINAT	ION	method	limit/base	current	history1	history2		
Water		WC Method	>0.1	NEG				
WEAR METAL	S	method	limit/base	current	history1	history2		
Iron	ppm	ASTM D5185m	>200	53				
Chromium	ppm	ASTM D5185m	>5	<1				
Nickel	ppm	ASTM D5185m	>5	0				
Titanium	ppm	ASTM D5185m		<1				
Silver	ppm	ASTM D5185m	>7	0				
Aluminum	ppm	ASTM D5185m	>25	3				
Lead	ppm	ASTM D5185m	>45	0				
Copper	ppm	ASTM D5185m	>225	80				
Tin	ppm	ASTM D5185m	>10	0				
Vanadium	ppm	ASTM D5185m		0				
Cadmium	ppm	ASTM D5185m		0				
ADDITIVES		method	limit/base	current	history1	history2		
Boron	ppm	ASTM D5185m		<1				
Barium	ppm	ASTM D5185m		0				
Molybdenum	ppm	ASTM D5185m		2				
Manganese	ppm	ASTM D5185m		22				
Magnesium	ppm	ASTM D5185m		4				
Calcium	ppm	ASTM D5185m		953				
Phosphorus	ppm	ASTM D5185m		759				
Zinc	ppm	ASTM D5185m		41				
Sulfur	ppm	ASTM D5185m		5086				
CONTAMINAN	TS	method	limit/base	current	history1	history2		
Silicon	ppm	ASTM D5185m	>125	36				
Sodium	ppm	ASTM D5185m		3				
Potassium	ppm	ASTM D5185m	>20	2				
VISUAL		method	limit/base	current	history1	history2		
White Metal	scalar	*Visual	NONE	NONE				
Yellow Metal	scalar	*Visual	NONE	NONE				
Precipitate	scalar	*Visual	NONE	NONE				
Silt	scalar	*Visual	NONE	NONE				
Debris	scalar	*Visual	NONE	LIGHT				
Sand/Dirt	scalar	*Visual	NONE	NONE				
Appearance	scalar	*Visual	NORML	NORML				
Odor	scalar	*Visual	NORML	NORML				
Emulsified Water	scalar	*Visual	>0.1	NEG				
Free Water	scalar	*Visual		NEG				
15:17:59) Rev: 1				:	Submitted By: RANDY PARKER			



OIL ANALYSIS REPORT



FLUID PRO	PERTIES meth	od limit/base		history1	history
Visc @ 40°C	cSt ASTM	D445	52.5		
SAMPLE IM	AGES meth	nod limit/base	e current	history1	history
Color			no image	no image	no image
Bottom			no image	no image	no image
GRAPHS Ferrous Alloys					
55 50					
45 - 40 - 40 -					
35 -					
80 25					
20					
10-					
0					
Feb26/24		Feb 26/24			
Non-ferrous Me	etals	Lin			
80 70					
60					
50 -					
톱 40 -					
30 -					
20					
0					
Feb 26/24		Feb26/24			
ت Viscosity @ 40	°C	L.			
105 Abnormal					
95 -					
90 - Abnormal					
40°C)					
ਲੋਂ 75 70					
65 - 60 -					
55 -					
50 + +		6/24			
Feb 26/24		Feb26/24			
: WearCheck USA -	501 Madison Ave.,	Cary, NC 27513	5	PERDUE FARM	S - ACCO
: PCA0118715	Received Tested	: 04 Mar 2024 : 06 Mar 2024			
<pre> : 06107858 : 10911355 </pre>	Tested Diagnosed	: 06 Mar 2024 : 06 Mar 2024 - Jon	athan Hester		ACCOMAC US 23
: FLEET	•				00 =0

Test Packag Certificate L2367 To discuss this sample report, contact Customer Service at 1-800-237-1369.

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012) F: (757)787-5208

Page 2 of 2

T: