

## **OIL ANALYSIS REPORT**

Sample Rating Trend

DIRT

### Machine Id ACW1 KPI JCI WASH PLANT SCREEN ROAD Gearbox

Fluid {not provided} (5 GAL)

#### DIAGNOSIS

#### Recommendation

No corrective action is recommended at this time. The oil change at the time of sampling has been noted. Resample at the next service interval to monitor.

#### Wear

All component wear rates are normal.

#### Contamination

Elemental level of silicon (Si) above normal.

#### Fluid Condition


The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.


SAMPLE INFORM		method	limit/base	current	history1	history2
Sample Number		Client Info		PCA0087856		
Sample Date		Client Info		10 Mar 2024		
Machine Age	yrs	Client Info		3		
Oil Age	yrs	Client Info		1		
Oil Changed		Client Info		Changed		
Sample Status				ABNORMAL		
CONTAMINAT	ION	method	limit/base	current	history1	history2
Water		WC Method	>0.2	NEG		
WEAR METALS	S	method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>200	8		
Chromium	ppm	ASTM D5185m	>10	0		
Nickel	ppm	ASTM D5185m	>10	1		
Titanium	ppm	ASTM D5185m		0		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m	>25	<1		
Lead	ppm	ASTM D5185m	>50	0		
Copper	ppm	ASTM D5185m	>200	6		
Tin	ppm	ASTM D5185m	>10	<1		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		3		
Barium	ppm	ASTM D5185m		2		
Molybdenum	ppm	ASTM D5185m		0		
Manganese	ppm	ASTM D5185m		1		
Magnesium	ppm	ASTM D5185m		0		
Calcium	ppm	ASTM D5185m		0		
Phosphorus	ppm	ASTM D5185m		121		
Zinc	ppm	ASTM D5185m		178		
Sulfur	ppm	ASTM D5185m		6207		
CONTAMINAN	TS	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>50	<u> </u>		
Sodium	ppm	ASTM D5185m		1		
Potassium	ppm	ASTM D5185m	>20	0		
FLUID DEGRAD	DATION	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045		0.41		




# **OIL ANALYSIS REPORT**

VISUAL







VISUAL		method	limit/base	current	nistory i	nistory
White Metal	scalar	*Visual	NONE	NONE		
Yellow Metal	scalar	*Visual	NONE	NONE		
Precipitate	scalar	*Visual	NONE	NONE		
Silt	scalar	*Visual	NONE	NONE		
Debris	scalar	*Visual	NONE	NONE		
Sand/Dirt	scalar	*Visual	NONE	NONE		
Appearance	scalar	*Visual	NORML	NORML		
Odor	scalar	*Visual	NORML	NORML		
Emulsified Water	scalar	*Visual	>0.2	NEG		
Free Water	scalar	*Visual		NEG		
FLUID PROPE	ERTIES	method	limit/base	current	history1	history
Visc @ 40°C	cSt	ASTM D445		135		
SAMPLE IMA	GES	method	limit/base	current	history1	history
Color					no image	no image
Bottom				a.	s no image	no image
Non-ferrous Meta	ıls		Mart 0.24			
Viscosity @ 40°C			Mar10/24 Mar10/24 Mar10/24 Mar10/24	Acid Numbe	r	
100 + 5200 Jac M			Mar10/24	Mar10/24		
<ul> <li>WearCheck USA - 50</li> <li>PCA0087856</li> <li>06142394</li> <li>10967202</li> <li>IND 2</li> <li>IND 2</li> </ul>	Recei Teste Diagr	ived : 0 id : 0 nosed : 11	8 Apr 2024 9 Apr 2024   Apr 2024 - Dor	n Baldridge		

limit/base

current

method

To discuss this sample report, contact Custome \* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

Report Id: KARWAU [WUSCAR] 06142394 (Generated: 04/11/2024 13:26:59) Rev: 2

Certificate L2367

Contact/Location: DAVE KARTECHNER - KARWAU

F:

T: (920)324-2874

history2

history1