

OIL ANALYSIS REPORT





Sample Rating Trend



DIAGNOSIS

Recommendation

Resample at the next service interval to monitor.

All component wear rates are normal.

Contamination

There is no indication of any contamination in the


Fluid Condition

The condition of the oil is acceptable for the time in service.


ME 75W90 (3 G	AL)			May2024		
SAMPLE INFOR	RMATION	method	limit/base	current	history1	history2
Sample Number		Client Info		PCA0127158		
Sample Date		Client Info		17 May 2024		
Machine Age	mls	Client Info		222203		
Dil Age	mls	Client Info		0		
Oil Changed		Client Info		Changed		
Sample Status				NORMAL		
CONTAMINAT	ION	method	limit/base	current	history1	history2
Vater		WC Method	>.2	NEG		
WEAR METAL	_S	method	limit/base	current	history1	history2
ron	ppm	ASTM D5185m	>1200	113		
Chromium	ppm	ASTM D5185m	>8	<1		
lickel	ppm	ASTM D5185m	>20	6		
itanium	ppm	ASTM D5185m	>4	<1		
Silver	ppm	ASTM D5185m		<1		
luminum	ppm	ASTM D5185m	>30	2		
ead	ppm	ASTM D5185m	>25	0		
Copper	ppm	ASTM D5185m	>50	<1		
in	ppm	ASTM D5185m	>5	0		
anadium	ppm	ASTM D5185m		0		
admium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		286		
arium	ppm	ASTM D5185m		0		
Nolybdenum	ppm	ASTM D5185m		<1		
langanese	ppm	ASTM D5185m		2		
/lagnesium	ppm	ASTM D5185m		<1		
Calcium	ppm	ASTM D5185m		8		
hosphorus	ppm	ASTM D5185m		1403		
inc	ppm	ASTM D5185m		2		
Sulfur	ppm	ASTM D5185m		27312		
CONTAMINAN	NTS	method	limit/base	current	history1	history2
ilicon	ppm	ASTM D5185m	>230	100		
odium	ppm	ASTM D5185m		<1		
otassium	ppm	ASTM D5185m	>20	2		
VISUAL		method	limit/base	current	history1	history2
Vhite Metal	scalar	*Visual	NONE	NONE		
ellow Metal	scalar	*Visual	NONE	NONE		
recipitate	scalar	*Visual	NONE	NONE		
ilt	scalar	*Visual	NONE	NONE		
)ebris	scalar	*Visual	NONE	NONE		
and/Dirt	scalar	*Visual	NONE	NONE		
ppearance	scalar	*Visual	NORML	NORML		
Odor	scalar	*Visual	NORML	NORML		
mulsified Water	scalar	*Visual	>.2	NEG		
ree Water	scalar	*Visual		NEG		



OIL ANALYSIS REPORT



FLUID PROPE	ERTIES	method	limit/base	current	history1	history2
Visc @ 40°C	cSt	ASTM D445	122	91.5		
SAMPLE IMA	GES	method	limit/base	current	history1	history2
Color				no image	no image	no image
Bottom				no image	no image	no image





Certificate 12367

Sample No. Test Package : FLEET

: PCA0127158 Lab Number : 06189842 Unique Number : 11046594

To discuss this sample report, contact Customer Service at 1-800-237-1369.

: WearCheck USA - 501 Madison Ave., Cary, NC 27513

Received Tested

: 23 May 2024 : 29 May 2024 Diagnosed

: 29 May 2024 - Wes Davis

NW WHITE & CO - GREENWOOD DIVISION 411 QUARRY ROAD GREENWOOD, SC

US 29149 Contact: Mitchell Brown greenwoodshop@nwwhite.com

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation. Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012) T: (864)389-9553