


OIL ANALYSIS REPORT

Sample Rating Trend



GLYCOL



Machine Id
Chevrolet 4370

Component
Gasoline Engine

Fluid
PETRO CANADA DURON SHP 10W30 (6 QTS)

DIAGNOSIS

Recommendation

We advise that you check for the source of the coolant leak. Check for low coolant level. Oil and filter change at the time of sampling has been noted. We recommend an early resample to monitor this condition.

Wear

All component wear rates are normal.

Contamination

Sodium and/or potassium levels are high.

Fluid Condition

The BN result indicates that there is suitable alkalinity remaining in the oil.

SAMPLE INFORMATION		method	limit/base	current	history1	history2
Sample Number	Client Info			PCA0112706	PCA0045397	PCA0045547
Sample Date	Client Info			28 May 2024	16 Feb 2023	08 Dec 2021
Machine Age	mls	Client Info		72446	59538	47806
Oil Age	mls	Client Info		12908	11732	4442
Oil Changed	Client Info			Changed	Changed	Changed
Sample Status				ABNORMAL	NORMAL	NORMAL

CONTAMINATION		method	limit/base	current	history1	history2
Fuel	WC Method	>4.0		<1.0	<1.0	<1.0
Water	WC Method	>0.2		NEG	NEG	NEG

WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>150	44	8	37
Chromium	ppm	ASTM D5185m	>20	2	<1	1
Nickel	ppm	ASTM D5185m	>5	<1	<1	2
Titanium	ppm	ASTM D5185m		<1	<1	<1
Silver	ppm	ASTM D5185m	>2	0	0	0
Aluminum	ppm	ASTM D5185m	>40	9	3	15
Lead	ppm	ASTM D5185m	>50	1	<1	1
Copper	ppm	ASTM D5185m	>155	28	14	97
Tin	ppm	ASTM D5185m	>10	0	<1	<1
Antimony	ppm	ASTM D5185m		---	---	<1
Vanadium	ppm	ASTM D5185m		<1	<1	<1
Cadmium	ppm	ASTM D5185m		0	0	0

ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m	2	22	0	5
Barium	ppm	ASTM D5185m	0	0	0	0
Molybdenum	ppm	ASTM D5185m	50	81	60	60
Manganese	ppm	ASTM D5185m	0	3	1	<1
Magnesium	ppm	ASTM D5185m	950	900	932	951
Calcium	ppm	ASTM D5185m	1050	1236	1091	1188
Phosphorus	ppm	ASTM D5185m	995	963	876	917
Zinc	ppm	ASTM D5185m	1180	1262	1182	1200
Sulfur	ppm	ASTM D5185m	2600	3118	2814	2393


CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>30	12	7	4
Sodium	ppm	ASTM D5185m	>400	▲ 59	3	3
Potassium	ppm	ASTM D5185m	>20	▲ 170	1	27
Glycol	%	*ASTM D2982		NEG	NEG	NEG

INFRA-RED		method	limit/base	current	history1	history2
Soot %	%	*ASTM D7844		0.1	0.1	0.7
Nitration	Abs/cm	*ASTM D7624	>20	19.4	15.4	11.9
Sulfation	Abs/.1mm	*ASTM D7415	>30	32.5	29.0	22.5


FLUID DEGRADATION		method	limit/base	current	history1	history2
Oxidation	Abs/.1mm	*ASTM D7414	>25	39.0	27.7	20.5
Base Number (BN)	mg KOH/g	ASTM D2896		5.0	6.6	6.6

OIL ANALYSIS REPORT


FT-IR (Direct Trend)




Glycol Contamination



Viscosity @ 100°C



Glycol Contamination




VISUAL	method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE	NONE
Yellow Metal	scalar	*Visual	NONE	NONE	NONE
Precipitate	scalar	*Visual	NONE	NONE	NONE
Silt	scalar	*Visual	NONE	NONE	NONE
Debris	scalar	*Visual	NONE	NONE	NONE
Sand/Dirt	scalar	*Visual	NONE	NONE	NONE
Appearance	scalar	*Visual	NORML	NORML	NORML
Odor	scalar	*Visual	NORML	NORML	NORML
Emulsified Water	scalar	*Visual	>0.2	NEG	NEG
Free Water	scalar	*Visual		NEG	NEG


FLUID PROPERTIES	method	limit/base	current	history1	history2
Visc @ 100°C	cSt	ASTM D445	12.00	14.6	13.3

GRAPHS


Ferrous Alloys




Non-ferrous Metals



Viscosity @ 100°C



Base Number



Certificate L2367

Laboratory : WearCheck USA - 501 Madison Ave., Cary, NC 27513
Sample No. : PCA0112706 **Received** : 20 Jun 2024
Lab Number : 06215310 **Tested** : 24 Jun 2024
Unique Number : 11088174 **Diagnosed** : 24 Jun 2024 - Jonathan Hester
Test Package : FLEET (Additional Tests: Glycol)

ICSB370 - Alton
 4525 North Alby Road
 Godfrey, IL
 US 62035

Contact: Chad Ingold
 c.ingold@illinois-central.com
 T: (618)466-5400
 F:

To discuss this sample report, contact Customer Service at 1-800-237-1369.

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)