



CONSTRUCTION EQUIPMENT

NO UNIT VCP297911 - DIESEL ENGINE



Sample No: VCP297911
Oil Type: DIESEL ENGINE OIL SAE 40
Job No:



SAMPLE INFORMATION

Sample Number	VCP297911	---	---	---
Sample Date	28 Jul 2022	---	---	---
Machine Hours	0	---	---	---
Oil Hours	0	---	---	---
Oil Changed	N/A	---	---	---
Sample Status	NORMAL	---	---	---

Strongco Equipment

5179 Fountain St N.
 Breslau, ON
 CA N0B 1M0
 Contact: Villamor Pingol
 vpingol@strongco.com
 T: (519)744-3518
 F: (519)744-3284



OIL CONDITION

Visc @ 100°C	cSt	█ 14.6	---	---	---
Oxidation (PA)	%	█ 59	---	---	---



CONTAMINATION

Soot %	%	█ 0.1	---	---	---
Nitration (PA)	%	█ 61	---	---	---
Sulfation (PA)	%	█ 53	---	---	---
Glycol	%	█ NEG	---	---	---
Fuel	%	█ <1.0	---	---	---
Silicon	ppm	█ 5	---	---	---
Sodium	ppm	█ 2	---	---	---
Potassium	ppm	█ <1	---	---	---

Diagnosis

Resample at the next service interval to monitor. The fluid was not specified, however, a fluid match indicates that this fluid is (GENERIC) DIESEL ENGINE OIL SAE 40. Please confirm.

Please specify the component make and model with your next sample. All component wear rates are normal. There is no indication of any contamination in the oil. The condition of the oil is acceptable for the time in service.



WEAR METALS

Iron	ppm	█ 10	---	---	---
Copper	ppm	█ 1	---	---	---
Lead	ppm	█ <1	---	---	---
Tin	ppm	█ <1	---	---	---
Aluminum	ppm	█ 3	---	---	---
Chromium	ppm	█ <1	---	---	---
Molybdenum	ppm	█ 59	---	---	---
Nickel	ppm	█ 0	---	---	---
Titanium	ppm	█ <1	---	---	---
Silver	ppm	█ 0	---	---	---
Manganese	ppm	█ <1	---	---	---
Vanadium	ppm	█ 0	---	---	---



ADDITIVES

Calcium	ppm	█ 1181	---	---	---
Magnesium	ppm	█ 879	---	---	---
Zinc	ppm	█ 1202	---	---	---
Phosphorus	ppm	█ 1013	---	---	---
Barium	ppm	█ 0	---	---	---
Boron	ppm	█ 6	---	---	---

Depot: CASKIT
Unique No: 5435429
Signed: Wes Davis
Report Date: 29 Jul 2022



CONSTRUCTION EQUIPMENT



GRAPHS

Iron (ppm)




Lead (ppm)




Aluminum (ppm)




Chromium (ppm)



Copper (ppm)



Silicon (ppm)



Viscosity @ 100°C



Soot %

