

## CONSTRUCTION EQUIPMENT 8-381487 VOLVO A40G 353346 - TRANSMISSION (AUTO)

Sample No: VCP394975 Oil Type: **DEXRON III** Job No: 8-381487

CVMDIE	INFORMATION	VI			
	INFURMATIO				
Sample Number		VCP394975	VCP352969		
Sample Date		13 Oct 2023	07 Jul 2023		
Machine Hours		2010	1098		
Oil Hours		0	0		
Oil Changed		Changed	Not Changd		
Sample Status		NORMAL	ABNORMAL		
OIL CONDITION					
Visc @ 40°C	cSt	<b>■25.9</b>	30.5		
CONTAN	IINATION				
	IINATION				
Water	%		<b>△</b> 0.908		
Silicon	ppm	<b>1</b> 4	■20		
Sodium	ppm	■5	<b>2</b> 2		
Potassium	ppm	<b>■</b> 3	<b>1</b> 2		
VOLVO					
WEAR M	IETALS				
Iron	ppm	<b>■34</b>	<b>2</b> 9		
Copper	ppm	<b>■21</b>	■18		
Lead	ppm	<b>■&lt;1</b>	<b></b>		
Tin	ppm	<b>■</b> 3	<b>2</b>		
Aluminum	ppm	<b>18</b>	<b>1</b> 6		
Chromium	ppm	<b>■</b> 0	<b>-</b> <1		
Molybdenum	ppm	<b>0</b>	<1		
Nickel	ppm	<b>■</b> 3	<b>3</b>		
Titanium	ppm	0	0		
Silver	ppm	<b>■&lt;1</b>	0		
Manganese	ppm	<b>4</b>	4		
Vanadium	ppm	0	0		
ADDITIV	ES				
Calcium	ppm	■80	91		
Magnesium	ppm	<b>1</b>	4		
Zinc	ppm	 7	18		
Phosphorus	ppm	<b>183</b>	207		
Barium	ppm	<b>■</b> <1	<1		
Boron	ppm	<b>70</b>	44		
DOTOIT	phili		44		



## STRONGCO EQUIPMENT INC.

1640 ENTERPRISE ROAD MISSISSAUGA, ON CA L4W 4L4 Contact: Janice Cripps jcripps@strongco.com T: (905)565-3876 F: (905)670-2338

## Diagnosis

Resample at the next service interval to monitor. The fluid was not specified, however, a fluid match indicates that this fluid is (GENERIC) DEXRON III. Please confirm. All component wear rates are normal. There is no indication of any contamination in the fluid. The condition of the fluid is acceptable for the time in service.

Depot: **SHEMIS Unique No:** 5671748 Signed: Wes Davis Report Date: 07 Nov 2023



## **CONSTRUCTION EQUIPMENT**





