



CONSTRUCTION EQUIPMENT

G06917 VOLVO EC350 310798 - HYDRAULIC SYSTEM



Sample No: VCP411295

Oil Type: NOT GIVEN

Job No: G06917



SAMPLE INFORMATION

Sample Number	VCP411295	VCP385182	---	---
Sample Date	31 Mar 2023	08 Mar 2023	---	---
Machine Hours	0	3829	---	---
Oil Hours	0	0	---	---
Oil Changed	N/A	N/A	---	---
Sample Status	NORMAL	ATTENTION	---	---



HOFFMAN EQUIPMENT - DEPTFORD

1330 HURFFVILLE ROAD

DEPTFORD, NJ

US 08096

Contact: TAMMY SANDORA

tammy.sandora@hoffmanequip.com

T: (856)227-6400

F: (856)227-0046



OIL CONDITION

Visc @ 40°C	cSt	43.8	42.5	---	---
Acid Number (AN)	mg KOH/g	0.662	0.73	---	---



CONTAMINATION

Water	%	---	▲ 0.278	---	---
Particles >4µm		2953	16415	---	---
Particles >6µm		310	2204	---	---
Particles >14µm		32	89	---	---
ISO 4406:1999 (c)		19/15/12	21/18/14	---	---
Silicon	ppm	6	7	---	---
Sodium	ppm	<1	2	---	---
Potassium	ppm	2	0	---	---

Diagnosis

Resample at the next service interval to monitor. Please specify the brand, type, and viscosity of the oil on your next sample. All component wear rates are normal. The system cleanliness is acceptable for your target ISO 4406 cleanliness code. The system and fluid cleanliness is acceptable. The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.



WEAR METALS

Iron	ppm	5	8	---	---
Copper	ppm	29	49	---	---
Lead	ppm	<1	<1	---	---
Tin	ppm	<1	0	---	---
Aluminum	ppm	1	<1	---	---
Chromium	ppm	<1	<1	---	---
Molybdenum	ppm	4	4	---	---
Nickel	ppm	0	0	---	---
Titanium	ppm	1	2	---	---
Silver	ppm	0	2	---	---
Manganese	ppm	<1	<1	---	---
Vanadium	ppm	0	<1	---	---



ADDITIVES

Calcium	ppm	1567	1550	---	---
Magnesium	ppm	45	55	---	---
Zinc	ppm	816	914	---	---
Phosphorus	ppm	638	712	---	---
Barium	ppm	0	0	---	---
Boron	ppm	56	48	---	---

Depot: VOLVO8880

Unique No: 10412604

Signed: Wes Davis

Report Date: 10 Apr 2023




CONSTRUCTION EQUIPMENT




VOLVO GRAPHS

Ferrous Alloys




Non-ferrous Metals



Viscosity @ 40°C



Particle Count



Acid Number

