



CONSTRUCTION EQUIPMENT

X58196 VOLVO EC350EL 314462 - HYDRAULIC SYSTEM



Sample No: VCP425332
Oil Type: AW HYDRAULIC OIL ISO 46
Job No: X58196



SAMPLE INFORMATION

Sample Number	VCP425332	---	---	---
Sample Date	03 Jul 2023	---	---	---
Machine Hours	1169	---	---	---
Oil Hours	0	---	---	---
Oil Changed	Not Chngd	---	---	---
Sample Status	ABNORMAL	---	---	---

SCOTT EQUIPMENT COMPANY LLC - Saint Rose
 PO BOX 997
 SAINT ROSE, LA
 US 70087
 Contact: DENISE CORVERS
 dcorvers@scottcompanies.com
 T: (504)461-0961
 F: (504)461-0970



OIL CONDITION

Visc @ 40°C	cSt	█ 42.3	---	---	---
Acid Number (AN)	mg KOH/g	█ 0.44	---	---	---



CONTAMINATION

Particles >4µm		▲ 79976	---	---	---
Particles >6µm		▲ 33309	---	---	---
Particles >14µm		▲ 3673	---	---	---
ISO 4406:1999 (c)		23/22/19	---	---	---
Silicon	ppm	█ 4	---	---	---
Sodium	ppm	█ 0	---	---	---
Potassium	ppm	█ <1	---	---	---

Diagnosis

We recommend you service the filters on this component. We recommend an early resample to monitor this condition. The fluid was not specified, however, a fluid match indicates that this fluid is (GENERIC) AW HYDRAULIC OIL ISO 46. Please confirm.
 All component wear rates are normal. There is a moderate amount of silt (particulates < 14 microns in size) present in the oil. The AN level is acceptable for this fluid. The oil is still serviceable provided that the contaminant(s) can be reduced to acceptable levels.



WEAR METALS

Iron	ppm	█ 3	---	---	---
Copper	ppm	█ 19	---	---	---
Lead	ppm	█ <1	---	---	---
Tin	ppm	█ <1	---	---	---
Aluminum	ppm	█ 0	---	---	---
Chromium	ppm	█ <1	---	---	---
Molybdenum	ppm	█ 0	---	---	---
Nickel	ppm	█ <1	---	---	---
Titanium	ppm	█ 0	---	---	---
Silver	ppm	█ 0	---	---	---
Manganese	ppm	█ 0	---	---	---
Vanadium	ppm	█ 0	---	---	---



ADDITIVES

Calcium	ppm	█ 84	---	---	---
Magnesium	ppm	█ 0	---	---	---
Zinc	ppm	█ 543	---	---	---
Phosphorus	ppm	█ 409	---	---	---
Barium	ppm	█ 0	---	---	---
Boron	ppm	█ 0	---	---	---

Depot: SCOSAI
Unique No: 10547929
Signed: Wes Davis
Report Date: 10 Jul 2023




CONSTRUCTION EQUIPMENT




GRAPHS


Ferrous Alloys




Non-ferrous Metals



Viscosity @ 40°C



Particle Count



Acid Number

