



CONSTRUCTION EQUIPMENT

SWO-063669 VOLVO A60 A60H 340102 - BOGIE/CENTER AXLE



Sample No: VCP414100
Oil Type: GEAR OIL SAE 75W90
Job No: SWO-063669



SAMPLE INFORMATION

Sample Number	VCP414100	VCP420410	VCP393679	VCP389252
Sample Date	11 Jul 2023	30 Mar 2023	15 Dec 2022	14 Sep 2022
Machine Hours	8821	8292	7821	7310
Oil Hours	0	0	0	0
Oil Changed	Not Chngd	Not Chngd	Changed	Not Chngd
Sample Status	ATTENTION	ATTENTION	NORMAL	NORMAL

SAIIA CONSTRUCTION LLC
 4400 LEWISBURG RD
 BIRMINGHAM, AL
 US 35207
 Contact: STEPHANI BRITTON
 sbritton@saiia.com;doug.bogart@wearcheck.com
 T: (205)943-2268
 F: (205)943-2269



OIL CONDITION

Visc @ 40°C	cSt	▲ 247	▲ 248	■ 91.0	■ 90.3
-------------	-----	--------------	-------	--------	--------



CONTAMINATION

Silicon	ppm	■ 4	■ 4	■ 1	■ <1
Sodium	ppm	■ <1	■ 0	■ 1	■ 0
Potassium	ppm	■ <1	■ <1	■ 0	■ 0



WEAR METALS

Iron	ppm	■ 74	■ 71	■ 56	■ 53
Copper	ppm	■ 4	■ <1	■ <1	■ <1
Lead	ppm	■ 0	■ 0	■ 0	■ 0
Tin	ppm	■ <1	■ 0	■ 0	■ <1
Aluminum	ppm	■ <1	■ 0	■ <1	■ <1
Chromium	ppm	■ 2	■ 2	■ <1	■ <1
Molybdenum	ppm	■ 1	■ 1	■ <1	■ <1
Nickel	ppm	■ <1	■ <1	■ <1	0
Titanium	ppm	0	0	0	0
Silver	ppm	0	0	0	0
Manganese	ppm	■ 2	■ 2	■ <1	■ <1
Vanadium	ppm	0	0	0	0



ADDITIVES

Calcium	ppm	■ 127	■ 67	■ 184	■ 178
Magnesium	ppm	■ 6	■ 6	■ 2	■ 2
Zinc	ppm	■ 65	■ 33	■ 78	■ 79
Phosphorus	ppm	■ 1209	■ 1054	■ 1318	■ 1307
Barium	ppm	■ 0	■ 0	■ 0	■ 0
Boron	ppm	■ 200	■ 212	■ 180	■ 209

Diagnosis

No corrective action is recommended at this time. Resample at the next service interval to monitor. All component wear rates are normal. There is no indication of any contamination in the oil. The oil viscosity is higher than normal. Confirm oil type.

Depot: SAIBIR
Unique No: 10560326
Signed: Don Baldrige
Report Date: 17 Jul 2023



CONSTRUCTION EQUIPMENT



VOLVO GRAPHS

