

CONSTRUCTION EQUIPMENT 19245 VOLVO L 120H 633323 - HYDRAULIC SYSTEM



Sample No: VCP412003

Oil Type: VOLVO SUPER HYDRAULIC OIL 46

Job No: 19245

| VOLVO | INFORMATION | | | |
|------------------|-------------|-------------|------|--|
| | INFURMATION | _ | | |
| Sample Number | | VCP412003 | | |
| Sample Date | | 23 Jul 2023 | | |
| Machine Hours | | 1560 | | |
| Oil Hours | | 1560 | | |
| Oil Changed | | Not Changd | | |
| Sample Status | | NORMAL | | |
| VOLVO | | | | |
| OIL CON | DITION | | | |
| Visc @ 40°C | cSt | 45.4 | | |
| Acid Number (AN | N) mg KOH/g | ■0.32 | | |
| | , , , , | | | |
| CONTAI | MINATION | | | |
| | MINATION | | | |
| Particles >4µm | | 4216 | | |
| Particles >6µm | | ■713 | | |
| Particles >14µm | | ■38 | | |
| ISO 4406:1999 (c | | 19/17/12 | | |
| Silicon | ppm | ■3 | | |
| Sodium | ppm | ■0 | | |
| Potassium | ppm | 1 | | |
| VOLVO | | | | |
| WEAR N | METALS | | | |
| Iron | ppm | 1 4 | | |
| Copper | ppm | 2 | | |
| Lead | ppm | 1 | | |
| Tin | ppm | <1 | | |
| Aluminum | ppm | ■0 | | |
| Chromium | ppm | 1 | | |
| Molybdenum | ppm | ■ <1 | | |
| Nickel | ppm | ■ <1 | | |
| Titanium | ppm | 0 | | |
| Silver | ppm | 0 | | |
| Manganese | ppm | 0 | | |
| Vanadium | ppm | 0 | | |
| | | | | |
| ADDITIV | /ES | | | |
| Calcium | ppm | 59 | | |
| Magnesium | | 3 | | |
| Zinc | ppm ppm | 436 | | |
| Phosphorus | ppm | 328 | | |
| Barium | ppm | 0 | | |
| Darium | ррпі | | | |



HILCO TRANSPORT

7700 KENMONT RD GREENSBORO, NC US 27409 Contact: MIKE LAUGHEAD mlaughead@hilcotransport.com T: (336)273-9441 F: (336)273-9701

Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. The system cleanliness is acceptable for your target ISO 4406 cleanliness code. The system and fluid cleanliness is acceptable. The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

Depot:HILGREVCUnique No:10587179Signed:Wes DavisReport Date:04 Aug 2023

ppm

Boron



CONSTRUCTION EQUIPMENT





GRAPHS

