



CONSTRUCTION EQUIPMENT

X58513 VOLVO EC350EL 314594 - HYDRAULIC SYSTEM



Sample No: VCP413458
Oil Type: AW HYDRAULIC OIL ISO 46
Job No: X58513



SCOTT EQUIPMENT COMPANY LLC - Saint Rose
 PO BOX 997
 SAINT ROSE, LA
 US 70087
 Contact: STEPHEN SALMERON
 ssalmeron@scottcompanies.com
 T: (504)461-0961
 F: (504)461-0970



SAMPLE INFORMATION

Sample Number	VCP413458	---	---	---
Sample Date	05 Sep 2023	---	---	---
Machine Hours	564	---	---	---
Oil Hours	0	---	---	---
Oil Changed	Not Chngd	---	---	---
Sample Status	NORMAL	---	---	---



OIL CONDITION

Visc @ 40°C	cSt	█ 42.4	---	---	---
Acid Number (AN)	mg KOH/g	█ 0.45	---	---	---



CONTAMINATION

Particles >4µm		█ 5255	---	---	---
Particles >6µm		█ 436	---	---	---
Particles >14µm		█ 16	---	---	---
ISO 4406:1999 (c)		20/16/11	---	---	---
Silicon	ppm	█ 2	---	---	---
Sodium	ppm	█ <1	---	---	---
Potassium	ppm	█ 0	---	---	---



WEAR METALS

Iron	ppm	█ <1	---	---	---
Copper	ppm	█ 11	---	---	---
Lead	ppm	█ <1	---	---	---
Tin	ppm	█ 0	---	---	---
Aluminum	ppm	█ <1	---	---	---
Chromium	ppm	█ 0	---	---	---
Molybdenum	ppm	█ 0	---	---	---
Nickel	ppm	█ 0	---	---	---
Titanium	ppm	█ 0	---	---	---
Silver	ppm	█ 0	---	---	---
Manganese	ppm	█ 0	---	---	---
Vanadium	ppm	█ <1	---	---	---



ADDITIVES

Calcium	ppm	█ 92	---	---	---
Magnesium	ppm	█ 0	---	---	---
Zinc	ppm	█ 563	---	---	---
Phosphorus	ppm	█ 435	---	---	---
Barium	ppm	█ 0	---	---	---
Boron	ppm	█ 0	---	---	---

Diagnosis

Resample at the next service interval to monitor. The fluid was not specified, however, a fluid match indicates that this fluid is (GENERIC) AW HYDRAULIC OIL ISO 46. Please confirm.
 All component wear rates are normal. The system cleanliness is acceptable for your target ISO 4406 cleanliness code. The system and fluid cleanliness is acceptable. The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

Depot: SCOSAI
Unique No: 10636243
Signed: Wes Davis
Report Date: 11 Sep 2023




CONSTRUCTION EQUIPMENT




VOLVO GRAPHS

Ferrous Alloys




Non-ferrous Metals



Viscosity @ 40°C



Particle Count



Acid Number

