



CONSTRUCTION EQUIPMENT

VOLVO A25G 752605 - DIESEL ENGINE



Sample No: VCP0007383
Oil Type: DIESEL ENGINE OIL SAE 30
Job No:



SAMPLE INFORMATION

Sample Number	VCP0007383	---	---	---
Sample Date	02 Oct 2023	---	---	---
Machine Hours	0	---	---	---
Oil Hours	0	---	---	---
Oil Changed	N/A	---	---	---
Sample Status	ABNORMAL	---	---	---

ALTA EQUIPMENT COMPANY
 8750 PHILIPS HWY
 JACKSONVILLE, FL
 US 32256
 Contact: SHAWN NORTHCRAFT
 shawn.northcraft@altg.com
 T: (904)737-6000
 F: (904)737-1260



OIL CONDITION

Visc @ 100°C	cSt	█ 11.0	---	---	---
Base Number (BN)	mg KOH/g	█ 5.8	---	---	---
Oxidation (PA)	%	█ 63	---	---	---



CONTAMINATION

Soot %	%	█ 0.5	---	---	---
Nitration (PA)	%	█ 86	---	---	---
Sulfation (PA)	%	█ 60	---	---	---
Glycol	%	█ NEG	---	---	---
Fuel	%	█ 0.6	---	---	---
Silicon	ppm	▲ 35	---	---	---
Sodium	ppm	█ 5	---	---	---
Potassium	ppm	█ 4	---	---	---



WEAR METALS

Iron	ppm	█ 35	---	---	---
Copper	ppm	▲ 244	---	---	---
Lead	ppm	█ 3	---	---	---
Tin	ppm	█ 3	---	---	---
Aluminum	ppm	█ 2	---	---	---
Chromium	ppm	█ <1	---	---	---
Molybdenum	ppm	█ 85	---	---	---
Nickel	ppm	█ 5	---	---	---
Titanium	ppm	█ 0	---	---	---
Silver	ppm	█ <1	---	---	---
Manganese	ppm	█ 7	---	---	---
Vanadium	ppm	<1	---	---	---



ADDITIVES

Calcium	ppm	█ 2241	---	---	---
Magnesium	ppm	█ 183	---	---	---
Zinc	ppm	█ 1318	---	---	---
Phosphorus	ppm	█ 1051	---	---	---
Barium	ppm	█ 0	---	---	---
Boron	ppm	█ 8	---	---	---

Diagnosis

No corrective action is recommended at this time. Resample at the next service interval to monitor. The copper level is abnormal. In the absence of other significant wear metals, suspect copper due to sources other than wear (i.e. cooling core). All other component wear rates are normal. Elemental level of silicon (Si) above normal indicating ingress of dirt/seal material. The BN result indicates that there is suitable alkalinity remaining in the oil. The condition of the oil is acceptable for the time in service.

Depot: VOLVO0092
Unique No: 10675100
Signed: Don Baldrige
Report Date: 06 Oct 2023



CONSTRUCTION EQUIPMENT



GRAPHS


Iron (ppm)




Lead (ppm)




Aluminum (ppm)




Chromium (ppm)




▲ Copper (ppm)



▲ Silicon (ppm)



Viscosity @ 100°C



Base Number

