



CONSTRUCTION EQUIPMENT

X58891 VOLVO A25G 752900 - REAR LEFT FINAL DRIVE



Sample No: VCP426017

Oil Type: NOT GIVEN

Job No: X58891



SAMPLE INFORMATION

| | | | | |
|---------------|-------------|-----|-----|-----|
| Sample Number | VCP426017 | --- | --- | --- |
| Sample Date | 17 Nov 2023 | --- | --- | --- |
| Machine Hours | 522 | --- | --- | --- |
| Oil Hours | 0 | --- | --- | --- |
| Oil Changed | Changed | --- | --- | --- |
| Sample Status | NORMAL | --- | --- | --- |



SCOTT EQUIPMENT COMPANY LLC - Saint Rose
 PO BOX 997
 SAINT ROSE, LA
 US 70087
 Contact: DENISE CORVERS
 dcorvers@scottcompanies.com
 T: (504)461-0961
 F: (504)461-0970



OIL CONDITION

| | | | | | |
|-------------|-----|--------|-----|-----|-----|
| Visc @ 40°C | cSt | ■ 91.0 | --- | --- | --- |
|-------------|-----|--------|-----|-----|-----|



CONTAMINATION

| | | | | | |
|-----------|-----|-----|-----|-----|-----|
| Water | % | NEG | --- | --- | --- |
| Silicon | ppm | ■ 5 | --- | --- | --- |
| Sodium | ppm | ■ 0 | --- | --- | --- |
| Potassium | ppm | ■ 5 | --- | --- | --- |



WEAR METALS

| | | | | | |
|------------|-----|-------|-----|-----|-----|
| Iron | ppm | ■ 164 | --- | --- | --- |
| Copper | ppm | ■ 13 | --- | --- | --- |
| Lead | ppm | ■ 0 | --- | --- | --- |
| Tin | ppm | ■ 0 | --- | --- | --- |
| Aluminum | ppm | ■ 1 | --- | --- | --- |
| Chromium | ppm | ■ 3 | --- | --- | --- |
| Molybdenum | ppm | 6 | --- | --- | --- |
| Nickel | ppm | ■ 1 | --- | --- | --- |
| Titanium | ppm | <1 | --- | --- | --- |
| Silver | ppm | 0 | --- | --- | --- |
| Manganese | ppm | 8 | --- | --- | --- |
| Vanadium | ppm | 0 | --- | --- | --- |



ADDITIVES

| | | | | | |
|------------|-----|------|-----|-----|-----|
| Calcium | ppm | 757 | --- | --- | --- |
| Magnesium | ppm | 3 | --- | --- | --- |
| Zinc | ppm | 329 | --- | --- | --- |
| Phosphorus | ppm | 1387 | --- | --- | --- |
| Barium | ppm | 0 | --- | --- | --- |
| Boron | ppm | 281 | --- | --- | --- |

Diagnosis

Resample at the next service interval to monitor. Please specify the brand, type, and viscosity of the oil on your next sample. All component wear rates are normal. There is no indication of any contamination in the oil. The condition of the oil is acceptable for the time in service.

Depot: SCOSAI
Unique No: 10754606
Signed: Wes Davis
Report Date: 26 Nov 2023



CONSTRUCTION EQUIPMENT



GRAPHS

