



CONSTRUCTION EQUIPMENT

HERC RENTALS VOLVO ECR145EL 315866 - HYDRAULIC SYSTEM



Sample No: VCP436025
Oil Type: AW HYDRAULIC OIL ISO 46
Job No: HERC RENTALS



ALTA EQUIPMENT/FLAGLER CONSTRUCTION EQUIPMENT LLC
8418 PALM RIVER ROAD
TAMPA, FL
US 33619
Contact: KENNY HANEY
khaney@flaglerce.com
T: (813)630-0077
F: (813)630-2233



SAMPLE INFORMATION

Sample Number	VCP436025	---	---	---
Sample Date	09 Oct 2023	---	---	---
Machine Hours	598	---	---	---
Oil Hours	0	---	---	---
Oil Changed	Not Chngd	---	---	---
Sample Status	NORMAL	---	---	---



OIL CONDITION

Visc @ 40°C	cSt	█ 43.4	---	---	---
Acid Number (AN)	mg KOH/g	█ 0.54	---	---	---



CONTAMINATION

Water	%	NEG	---	---	---
Particles >4µm		█ 22083	---	---	---
Particles >6µm		█ 6141	---	---	---
Particles >14µm		█ 435	---	---	---
ISO 4406:1999 (c)		22/20/16	---	---	---
Silicon	ppm	█ 6	---	---	---
Sodium	ppm	█ 2	---	---	---
Potassium	ppm	█ 0	---	---	---



WEAR METALS

Iron	ppm	█ 0	---	---	---
Copper	ppm	█ 22	---	---	---
Lead	ppm	█ 0	---	---	---
Tin	ppm	█ 0	---	---	---
Aluminum	ppm	█ 0	---	---	---
Chromium	ppm	█ 0	---	---	---
Molybdenum	ppm	█ 0	---	---	---
Nickel	ppm	█ 0	---	---	---
Titanium	ppm	0	---	---	---
Silver	ppm	0	---	---	---
Manganese	ppm	█ <1	---	---	---
Vanadium	ppm	0	---	---	---



ADDITIVES

Calcium	ppm	█ 174	---	---	---
Magnesium	ppm	█ 2	---	---	---
Zinc	ppm	█ 482	---	---	---
Phosphorus	ppm	█ 395	---	---	---
Barium	ppm	█ 0	---	---	---
Boron	ppm	█ 0	---	---	---

Diagnosis

Resample at the next service interval to monitor. The fluid was not specified, however, a fluid match indicates that this fluid is (GENERIC) AW HYDRAULIC OIL ISO 46. Please confirm.
All component wear rates are normal. The system cleanliness is acceptable for your target ISO 4406 cleanliness code. The system and fluid cleanliness is acceptable. The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

Depot: VOLVO0093
Unique No: 10776124
Signed: Wes Davis
Report Date: 07 Dec 2023




CONSTRUCTION EQUIPMENT




GRAPHS


Ferrous Alloys




Non-ferrous Metals



Viscosity @ 40°C



Particle Count



Acid Number

