

CONSTRUCTION EQUIPMENT VOLVO A40G 752009 - DIESEL ENGINE



Sample No: VCP440663
Oil Type: MOBIL 15W40

Job No:

VOLVO					
SAMPLE II	NFORMATION				
Sample Number	-	VCP440663	VCP398087	VCP312961	
Sample Date		29 Nov 2023	30 Oct 2023	12 Sep 2023	
Machine Hours		907	777	482	
Oil Hours		210	295	482	
Oil Changed		Changed	Changed	Changed	
Sample Status		NORMAL	NORMAL	ABNORMAL	
OIT CONDI.	TION				
Visc @ 100°C	cSt	12.9	12.7	△ 11.3	
Base Number (BN)	mg KOH/g	■7.4	7.2	6.7	
Oxidation (PA)	%	58	60	58	
CONTAMIN	NATION				
_		NEC	NEC	NEC	
Water Soot %	%	NEG ■ 0.1	NEG	NEG	
Nitration (PA)	%	65	■ 0.1 69	■ 0.1 80	
Sulfation (PA)	%	49	50	52	
Glycol	%	NEG	NEG	NEG	
Fuel	%	<1.0	<1.0	■ 0.5	
Silicon	ppm	■ 5	T 5	□ 0.5 □ 25	
Sodium	ppm	3	1	2	
Potassium	ppm	■<1	□<1	3	
Otassiani	PPIII				
WEAR ME	TALS				
_	IMT7				
Iron	ppm	■4	4	1 4	
Copper	ppm	4	1 7	<u>440</u>	
Lead	ppm	0	0	- <1	
Tin	ppm	■0	<u></u> <1	3	
Aluminum	ppm	4	3	4	
Chromium	ppm	■ <1	0	0	
Molybdenum	ppm	■ 139	115	87	
Nickel	ppm	■ <1	2	1	
Titanium	ppm	0	0	<1	
Silver	ppm	■ 0	0	0	
Manganese Vanadium	ppm	■ 0	< 1	0	
variaulum	ррш	U	U	U	
ADDITIVE	2				
Calcium	ppm	1373	1 301	■2156	
Magnesium	ppm	730	676	6 9	
Zinc	ppm	961	■905	1 167	
Phosphorus	ppm	770	722	■977	
Barium	ppm	□ 0	□0	□ 0	



SCHILDBERG CONSTRUCTION COMPANY

PO BOX 358 GREENFIELD, IA US 50849 Contact: SCOTT ARMSTRONG sarmstrong@schildberg.com T: (641)743-8237 F: (641)743-2486

Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. There is no indication of any contamination in the oil. The BN result indicates that there is suitable alkalinity remaining in the oil. The condition of the oil is suitable for further service.

Depot:SCHGREUnique No:10780136Signed:Don BaldridgeReport Date:13 Dec 2023

ppm

Boron



CONSTRUCTION EQUIPMENT





