CONSTRUCTION EQUIPMENT
661545 VOLVO L120 633396 - HYDRAULIC SYSTEM

Sample No: VCP439083
Oil Type: VOLVO SUPER HYDRAULIC OIL 46
Job No: 661545

ORANGE COUNTY SOLID WASTE
5901 YOUNG PINE ROAD
ORLANDO, FL
US 32829
Contact: MICHAEL BEEBE
michael.beebe@ocfl.net
T: (407)836-6652
F: (407)836-6650

SAMPLE INFORMATION

Sample Number		**VCP439083**	---	---	---
Sample Date		**25 Jan 2024**	---	---	---
Machine Hours		**1010**	---	---	---
Oil Hours		**0**	---	---	---
Oil Changed		**Not Changd**	---	---	---
Sample Status		**ABNORMAL**	---	---	---

OIL CONDITION

Visc @ 40°C	cSt	**44.0**	---	---	---
Acid Number (AN)	mg KOH/g	**0.39**	---	---	---

CONTAMINATION

Water	%	**NEG**	---	---	---
Particles >4µm		**3243**	---	---	---
Particles >6µm		**757**	---	---	---
Particles >14µm		**68**	---	---	---
ISO 4406:1999 (c)		**19/17/13**	---	---	---
Silicon	ppm	**6**	---	---	---
Sodium	ppm	**0**	---	---	---
Potassium	ppm	**8**	---	---	---

WEAR METALS

Iron	ppm	**15**	---	---	---
Copper	ppm	**23**	---	---	---
Lead	ppm	**<1**	---	---	---
Tin	ppm	**<1**	---	---	---
Aluminum	ppm	**2**	---	---	---
Chromium	ppm	**<1**	---	---	---
Molybdenum	ppm	**5**	---	---	---
Nickel	ppm	**0**	---	---	---
Titanium	ppm	**<1**	---	---	---
Silver	ppm	**0**	---	---	---
Manganese	ppm	**0**	---	---	---
Vanadium	ppm	**0**	---	---	---

ADDITIVES

Calcium	ppm	**123**	---	---	---
Magnesium	ppm	**11**	---	---	---
Zinc	ppm	**407**	---	---	---
Phosphorus	ppm	**293**	---	---	---
Barium	ppm	**0**	---	---	---
Boron	ppm	**3**	---	---	---

Diagnosis

No corrective action is recommended at this time. Resample at the next service interval to monitor.The copper level is abnormal. All other component wear rates are normal. The amount and size of particulates present in the system are acceptable. There is no indication of any contamination in the oil. The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

Depot: ORAORL
Unique No: 10856727
Signed: Don Baldridge
Report Date: 01 Feb 2024

GRAPHS

Ferrous Alloys



Non-ferrous Metals



Particle Count



Viscosity @ 40°C

Acid Number