



# CONSTRUCTION EQUIPMENT

## VOLVO L60H 621782 - TRANSMISSION (AUTO)



**Sample No:** VCP449225

**Oil Type:** DEXRON III

**Job No:**



### SAMPLE INFORMATION

Sample Number	VCP449225	---	---	---
Sample Date	12 Jan 2024	---	---	---
Machine Hours	5456	---	---	---
Oil Hours	0	---	---	---
Oil Changed	Not Chngd	---	---	---
Sample Status	NORMAL	---	---	---



**FREDERICK DERR AND COMPANY**

PO BOX 2719  
SARASOTA, FL  
US 34230

Contact: ROBERT TENNANT  
ROBERT@FREDERICKDERRCOMPANY.COM  
T: (941)355-8575  
F:



### OIL CONDITION

Visc @ 40°C	cSt	█ 28.6	---	---	---
-------------	-----	--------	-----	-----	-----



### CONTAMINATION

Water	%	NEG	---	---	---
Silicon	ppm	█ 2	---	---	---
Sodium	ppm	█ 2	---	---	---
Potassium	ppm	█ 0	---	---	---



### WEAR METALS

Iron	ppm	█ 26	---	---	---
Copper	ppm	█ 8	---	---	---
Lead	ppm	█ 0	---	---	---
Tin	ppm	█ 1	---	---	---
Aluminum	ppm	█ 6	---	---	---
Chromium	ppm	█ <1	---	---	---
Molybdenum	ppm	█ 0	---	---	---
Nickel	ppm	█ 0	---	---	---
Titanium	ppm	0	---	---	---
Silver	ppm	█ 0	---	---	---
Manganese	ppm	█ <1	---	---	---
Vanadium	ppm	0	---	---	---



### ADDITIVES

Calcium	ppm	█ 96	---	---	---
Magnesium	ppm	█ 3	---	---	---
Zinc	ppm	█ 20	---	---	---
Phosphorus	ppm	█ 210	---	---	---
Barium	ppm	█ <1	---	---	---
Boron	ppm	█ 95	---	---	---

### Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. There is no indication of any contamination in the fluid. The condition of the fluid is acceptable for the time in service.

**Depot:** FRESAR  
**Unique No:** 10871462  
**Signed:** Don Baldrige  
**Report Date:** 11 Feb 2024



# CONSTRUCTION EQUIPMENT




## GRAPHS


### Iron (ppm)




### Lead (ppm)




### Aluminum (ppm)




### Chromium (ppm)



### Copper (ppm)



### Silicon (ppm)



### Viscosity @ 40°C



### Additives

