



CONSTRUCTION EQUIPMENT

X38226 3388 - DIESEL ENGINE



Sample No: VCP442776
Oil Type: {unknown}
Job No: X38226



SAMPLE INFORMATION

Sample Number	VCP442776	---	---	---
Sample Date	20 Feb 2024	---	---	---
Machine Hours	0	---	---	---
Oil Hours	0	---	---	---
Oil Changed	Changed	---	---	---
Sample Status	NORMAL	---	---	---

SCOTT EQUIPMENT COMPANY LLC - Baton Rouge
 10160 AIRLINE HWY
 BATON ROUGE, LA
 US 70816
 Contact: BRENT CALDWELL
 bcaldwell@scottcompanies.com
 T: (225)293-3683
 F: (225)292-9658



OIL CONDITION

Visc @ 100°C	cSt	█ 12.9	---	---	---
Base Number (BN)	mg KOH/g	█ 7.2	---	---	---
Oxidation (PA)	%	91	---	---	---

Diagnosis

Resample at the next service interval to monitor. Please specify the brand, type, and viscosity of the oil on your next sample. All component wear rates are normal. There is no indication of any contamination in the oil. The BN result indicates that there is suitable alkalinity remaining in the oil. The condition of the oil is suitable for further service.



CONTAMINATION

Water	%	NEG	---	---	---
Soot %	%	█ 0.2	---	---	---
Nitration (PA)	%	83	---	---	---
Sulfation (PA)	%	62	---	---	---
Glycol	%	NEG	---	---	---
Fuel	%	<1.0	---	---	---
Silicon	ppm	█ 7	---	---	---
Sodium	ppm	█ 3	---	---	---
Potassium	ppm	█ 30	---	---	---



WEAR METALS

Iron	ppm	█ 14	---	---	---
Copper	ppm	█ 2	---	---	---
Lead	ppm	█ <1	---	---	---
Tin	ppm	█ 1	---	---	---
Aluminum	ppm	█ 3	---	---	---
Chromium	ppm	█ <1	---	---	---
Molybdenum	ppm	█ 129	---	---	---
Nickel	ppm	█ <1	---	---	---
Titanium	ppm	<1	---	---	---
Silver	ppm	█ 0	---	---	---
Manganese	ppm	1	---	---	---
Vanadium	ppm	<1	---	---	---



ADDITIVES

Calcium	ppm	█ 1390	---	---	---
Magnesium	ppm	█ 424	---	---	---
Zinc	ppm	█ 954	---	---	---
Phosphorus	ppm	711	---	---	---
Barium	ppm	█ 34	---	---	---
Boron	ppm	█ 43	---	---	---

Depot: VOLVO6242
Unique No: 10898166
Signed: Wes Davis
Report Date: 27 Feb 2024



CONSTRUCTION EQUIPMENT




GRAPHS

Iron (ppm)



Lead (ppm)




Aluminum (ppm)




Chromium (ppm)




Copper (ppm)



Silicon (ppm)



Viscosity @ 100°C



Base Number

