



CONSTRUCTION EQUIPMENT

A12465 VOLVO A35G 352266 - WET DISC BRAKE



Sample No: VCP446459
Oil Type: MOBIL WB 102
Job No: A12465



SAMPLE INFORMATION

Sample Number	VCP446459	---	---	---
Sample Date	16 Apr 2024	---	---	---
Machine Hours	555	---	---	---
Oil Hours	555	---	---	---
Oil Changed	Not Chngd	---	---	---
Sample Status	NORMAL	---	---	---

JAMES J ANDERSON
 6958 TORRESDALE AVENUE
 PHILADELPHIA, PA
 US 19135
 Contact: JOHN HERBUT
 herb@jjaconstruction.com
 T: (215)850-9051
 F: (215)427-0208



OIL CONDITION

Visc @ 40°C	cSt	█ 42.2	---	---	---
-------------	-----	--------	-----	-----	-----



CONTAMINATION

Water	%	NEG	---	---	---
Silicon	ppm	█ 17	---	---	---
Sodium	ppm	█ 4	---	---	---
Potassium	ppm	█ 1	---	---	---



WEAR METALS

Iron	ppm	█ 12	---	---	---
Copper	ppm	█ 1	---	---	---
Lead	ppm	█ 1	---	---	---
Tin	ppm	█ 1	---	---	---
Aluminum	ppm	█ 1	---	---	---
Chromium	ppm	█ <1	---	---	---
Molybdenum	ppm	<1	---	---	---
Nickel	ppm	█ 2	---	---	---
Titanium	ppm	<1	---	---	---
Silver	ppm	0	---	---	---
Manganese	ppm	<1	---	---	---
Vanadium	ppm	<1	---	---	---



ADDITIVES

Calcium	ppm	3872	---	---	---
Magnesium	ppm	10	---	---	---
Zinc	ppm	1579	---	---	---
Phosphorus	ppm	1304	---	---	---
Barium	ppm	0	---	---	---
Boron	ppm	121	---	---	---

Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. There is no indication of any contamination in the oil. The condition of the oil is acceptable for the time in service.

Depot: JAAPHI
Unique No: 10991858
Signed: Don Baldrige
Report Date: 24 Apr 2024




CONSTRUCTION EQUIPMENT




GRAPHS

Iron (ppm)



Lead (ppm)



Aluminum (ppm)




Chromium (ppm)




Copper (ppm)



Silicon (ppm)



Viscosity @ 40°C



Additives

