CONSTRUCTION EQUIPMENT
12852 SDLG 640187 - HYDRAULIC SYSTEM

Sample No: VCE74023
Oil Type: {unknown}
Job No: 12852



TRANSOURCE TRUCK & EQUIPMENT
901 EAST 60TH STREET NORTH
SIOUX FALLS, SD
US 57104
Contact: NATHAN MATZEN
nathan.matzen@transourceusa.com
T: (605)336-2000
F: (605)336-2248

SAMPLE INFORMATION

Sample Number		**VCE74023**	---	---	---
Sample Date		**18 Apr 2024**	---	---	---
Machine Hours		**102**	---	---	---
Oil Hours		**102**	---	---	---
Oil Changed		**N/A**	---	---	---
Sample Status		**NORMAL**	---	---	---

OIL CONDITION

Visc @ 40°C	cSt	**44.8**	---	---	---
Acid Number (AN)	mg KOH/g	**0.41**	---	---	---

CONTAMINATION

Water	%	**NEG**	---	---	---
Particles >4µm		**2396**	---	---	---
Particles >6µm		**375**	---	---	---
Particles >14µm		**24**	---	---	---
ISO 4406:1999 (c)		**18/16/12**	---	---	---
Silicon	ppm	**4**	---	---	---
Sodium	ppm	**0**	---	---	---
Potassium	ppm	**2**	---	---	---

WEAR METALS

Iron	ppm	**1**	---	---	---
Copper	ppm	**1**	---	---	---
Lead	ppm	**<1**	---	---	---
Tin	ppm	**<1**	---	---	---
Aluminum	ppm	**3**	---	---	---
Chromium	ppm	**<1**	---	---	---
Molybdenum	ppm	**<1**	---	---	---
Nickel	ppm	**<1**	---	---	---
Titanium	ppm	**<1**	---	---	---
Silver	ppm	**<1**	---	---	---
Manganese	ppm	**<1**	---	---	---
Vanadium	ppm	**<1**	---	---	---

ADDITIVES

Calcium	ppm	**105**	---	---	---
Magnesium	ppm	**<1**	---	---	---
Zinc	ppm	**584**	---	---	---
Phosphorus	ppm	**456**	---	---	---
Barium	ppm	**0**	---	---	---
Boron	ppm	**0**	---	---	---

Diagnosis

Resample at the next service interval to monitor. Please specify the brand, type, and viscosity of the oil on your next sample.All component wear rates are normal. The system cleanliness is acceptable for your target ISO 4406 cleanliness code. The system and fluid cleanliness is acceptable. The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

Depot: VOLVO0035
Unique No: 10992295
Signed: Wes Davis
Report Date: 23 Apr 2024

GRAPHS

Ferrous Alloys



Non-ferrous Metals



Particle Count



Viscosity @ 40°C



Acid Number